

# TALON


BSCI ISO 9001 MANUFACTURE  
CE RoHS REACH CB KC SAA



BUILT-IN VITROCERAMIC HOB  
BUILT-IN INDUCTION HOB

Talon Engineering & Consultancy Co., Ltd.

Office Add: Bahriye Üçok District 1843/3 Street No:1 A İzmir Karşıyaka  
Türkiye  
Factory Add: Salihli OSB, 45320 Salihli/Manisa  
Tel: +90 5556409560  
Email: [cenk.satilmis@talon-electronics.com](mailto:cenk.satilmis@talon-electronics.com)  
[husnu.kandemir@talon-electronics.com](mailto:husnu.kandemir@talon-electronics.com)  
[www.talon-electronics.com](http://www.talon-electronics.com)



# CONTENTS

## INDUCTION HOB

|                             |       |
|-----------------------------|-------|
| Induction Hob / Half-Bridge | 01-04 |
| Induction Hob / 4TH GEN     | 05-06 |
| Induction Hob / 3 RD GEN    | 07-10 |
| Induction Hob / 3 RD GEN    | 11-38 |
| Induction Hob / 2 ND GEN    | 39-42 |
| Induction Hob / 1 ST GEN    | 43-46 |

## CERAMIC HOB

|                                 |       |
|---------------------------------|-------|
| Ceramic Hob / Ultra- Thin style | 47-48 |
| Ceramic Hob / 3 RD GEN          | 49-80 |
| Ceramic Hob / 1 ST GEN          | 81-82 |
| Ceramic Hob / 110-120 V         | 83-84 |

## HYBRID HOB

|                         |       |
|-------------------------|-------|
| Hybrid Hob / 2 - 4 Zone | 85-86 |
|-------------------------|-------|



# REVOLUTIONIZE YOUR KITCHEN

Best quality , environment friendly, durable, fashionable and modern

CHINESE

SCHOTT  
CERAN

EURO  
KERA


Nippon Electric Glass  
JAPAN

INVERTER

ECO green



**Easy to Clean**  
Smooth and flat surface of the Induction Hob, spills do not stick or burn, making it effortless and safe to clean as you go.




**Anti-Scratch**  
Glass-ceramic that is almost as hard as a diamond. That stands up to stresses – no matter which heating technology is used underneath it.




# FLEXIBLE CHOICE


Perfectly suitable for any kitchen




900\*520mm/  
770\*520mm  
5 ZONE



290\*520mm  
Double



590\*520mm  
4 ZONE



590\*520mm/  
450\*510mm  
3 ZONE


Straight cut

Bevelled edges

4-Side Aluminum frame

4-Side stainless steel frame

Double sides brushed stainless steel













**BUILT-IN  
INDUCTION  
HOB**



# INDUCTION HOBS

Various specifications available for coil

| 160mm                                                                               | 180mm                                                                               | 200mm                                                                               | 210mm                                                                                 | 280mm                                                                                 | 320mm                                                                                 | 180*360mm Flex                                                                        | 195.5*360mm All Flex                                                                  |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |
| Copper Coil / Aluminum Coil                                                         | Copper Coil / Aluminum Coil                                                         | Copper Coil / Aluminum Coil                                                         | Copper Coil / Aluminum Coil                                                           | Copper Coil / Aluminum Coil                                                           | Copper Coil / Aluminum Coil                                                           | Copper Coil / Aluminum Coil                                                           | Copper Coil / Aluminum Coil                                                           |
| Max:1600W                                                                           | Max:1800W<br>Boost:2000W (5min)                                                     | Max:1800W<br>Boost:2200W (5min)                                                     | Max:2000W<br>Boost:2600W (5min)                                                       | Max:2500W<br>Boost:3500W (5min)                                                       | Max:3000W<br>Boost:3500W (5min)                                                       | Max:3200W<br>Boost:3600W (5min)                                                       | Max: 3200W<br>Boost: 3600W (5min)                                                     |




**IF7215B4RH-AA**

## INDUCTION HOB WITH EXTRACTOR HOOD

Save space and enjoy maximum efficiency, with the new flexinduction hob and integrated surface hood. With its powerful extractor hood, you will suck quickly, directly from where the vapors and smoke are generated.



Smart combination



Modern technology





## HALF-BRIDGE

HALF-BRIDGE TECHNOLOGY

### IF7222HB1-AA

1. Supports linear power output and low power continuous heating, maintain boiling point and thermal insulation functions.
2. Multiple safety protections: Food tossing, over-temperature, over-voltage, and over-current, etc.
3. Increases efficiency and prolongs usage life.



HALF-BRIDGE



FLEX ZONE



BOOST




99 MINUTES TIMER



CHILD LOCK




## ID3630HB1-I1




## Features

- \* Half-Bridge
- \* Slider touch control
- \* Boost, Child lock
- \* Pause, Warm
- \* 99 minutes timer
- \* 15 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## IF7230HB1-II



## Features

- \* Half-Bridge
- \* Slider touch control
- \* Boost, Child lock
- \* Pause, Warm
- \* 99 minutes timer
- \* 15 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT6530HB1-CG3




## Features

- \* Half-Bridge
- \* Slider touch control
- \* Boost, Child lock
- \* Pause, Warm
- \* 99 minutes timer
- \* 15 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## IS10840HB1-III




## Features

- \* Half-Bridge
- \* Slider touch control
- \* Boost, Child lock
- \* Pause, Warm
- \* 99 minutes timer
- \* 15 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7222HB1-AA



## Features

- \* Half-Bridge
- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection







## ID4410HB1





## Features


- \* Half-Bridge
- \* Touch control
- \* Boost, Child lock
- \* Warm
- \* 99 minutes timer
- \* 15 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



|                   |                             |                                                                                   |           |            |                                                                                    |                 |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-----------|------------|------------------------------------------------------------------------------------|-----------------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |           |            |  |                 |          |  |       |          |
| Basic Information | Model                       | ID3630HB1-I1                                                                      |           |            | IT6530HB1-CG3                                                                      |                 |          | IF7222HB1-AA                                                                        |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |           |            | 220-240~, 50/60Hz                                                                  |                 |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |           |            | CE,CB                                                                              |                 |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |           |            | Slider touch control                                                               |                 |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3600                                                                              |           |            | 6500                                                                               |                 |          | 7200                                                                                |       |          |
|                   | Left front                  | 195.5*90 mm(*4)                                                                   | 1000/1000 | FLEX 3600W | 160mm                                                                              | 1600W           | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   |                                                                                   |           |            | 180mm                                                                              | 1600W           | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | -                                                                                 | -         | -          | 320mm                                                                              | 1000/2000/3000W |          | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right rear                  | -                                                                                 | -         | -          | -                                                                                  | -               | -        | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Product Size ( mm )         | 288*520*52                                                                        |           |            | 590*520*52                                                                         |                 |          | 590*520*52                                                                          |       |          |
| Features          | LED                         | RED                                                                               |           |            | RED                                                                                |                 |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |           |            | 99 Minutes                                                                         |                 |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 15-Stage                                                                          |           |            | 15-Stage                                                                           |                 |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |           |            | √                                                                                  |                 |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                 |           |            | √                                                                                  |                 |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |           |            | √                                                                                  |                 |          | -                                                                                   |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |           |            | CHINESE/SCHOTT/EUROKERA/NEG                                                        |                 |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 288*520                                                                           |           |            | 590*520                                                                            |                 |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 3*1.5mm <sup>2</sup> / 0.9M                                                       |           |            | 5*1.5mm <sup>2</sup> / 0.9M                                                        |                 |          | 5*1.5mm <sup>2</sup> / 0.9M                                                         |       |          |
|                   | Plug                        | KC / VDE                                                                          |           |            | -                                                                                  |                 |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 258*483*53                                                                        |           |            | 556*476*55                                                                         |                 |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 270*495                                                                           |           |            | 560*480                                                                            |                 |          | 560*480                                                                             |       |          |
|                   | Package 1A ( W x H x D,mm ) | 365*110*620                                                                       |           |            | 683*110*640                                                                        |                 |          | 683*110*640                                                                         |       |          |
|                   | Loading 1A (20'/40'/40HQ)   | 1214/2498/2897                                                                    |           |            | 630/1277/1469                                                                      |                 |          | 630/1277/1469                                                                       |       |          |


|                     |                             |                                                                                     |         |            |                                                                                     |         |              |                                                                                     |       |          |
|---------------------|-----------------------------|-------------------------------------------------------------------------------------|---------|------------|-------------------------------------------------------------------------------------|---------|--------------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture     |                             |  |         |            |  |         |              |  |       |          |
| Basic Information   | Model                       | IF7230HB1-II                                                                        |         |            | IS10840HB1-III                                                                      |         |              | ID4410HB1                                                                           |       |          |
|                     | Rating                      | 220-240~, 50/60Hz                                                                   |         |            | 220-240~, 50/60Hz                                                                   |         |              | 220-240~, 50/60Hz                                                                   |       |          |
|                     | Certification               | CE,CB                                                                               |         |            | CE,CB                                                                               |         |              | -                                                                                   |       |          |
|                     | Control Type                | Slider touch control                                                                |         |            | Slider touch control                                                                |         |              | Touch control                                                                       |       |          |
|                     | Power Rating ( W )          | 7200                                                                                |         |            | 10000                                                                               |         |              | 4400                                                                                |       |          |
|                     | Left front                  | 195.5*90 mm                                                                         | 4*1000W | FLEX 3600W | 195.5*90 mm                                                                         | 4*1000W | FLEX 3600W   | 200mm                                                                               | 2000W | 2200W(B) |
|                     | Left rear                   |                                                                                     |         |            |                                                                                     |         |              | -                                                                                   | -     | -        |
|                     | Right front                 | 195.5*90 mm                                                                         | 4*1000W | FLEX 3600W | 195.5*90 mm                                                                         | 4*1000W | FLEX 3600W   | 200mm                                                                               | 2000W | 2200W(B) |
|                     | Right rear                  |                                                                                     |         |            |                                                                                     |         |              | -                                                                                   | -     | -        |
|                     | Middle                      | -                                                                                   |         |            | 195.5*90 mm                                                                         | 4*1000W | FLEX 3600W   | -                                                                                   | -     | -        |
| Product Size ( mm ) | 590*520*52                  |                                                                                     |         | 770*520*52 |                                                                                     |         | 730*430*53.5 |                                                                                     |       |          |
| Features            | LED                         | RED                                                                                 |         |            | RED                                                                                 |         |              | RED                                                                                 |       |          |
|                     | Booster                     | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | Independent Timer           | 99 Minutes                                                                          |         |            | 99 Minutes                                                                          |         |              | 99 Minutes                                                                          |       |          |
|                     | Power Setting               | 15-Stage                                                                            |         |            | 15-Stage                                                                            |         |              | 15-Stage                                                                            |       |          |
|                     | Pan Sensor                  | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | Automatic Safety Switch off | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | High Heating Protection     | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | High/low Voltage Protection | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | Child Lock                  | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
|                     | Pause                       | √                                                                                   |         |            | √                                                                                   |         |              | -                                                                                   |       |          |
|                     | Warm                        | √                                                                                   |         |            | √                                                                                   |         |              | √                                                                                   |       |          |
| Option              | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |         |              | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                     | Glass Size ( mm )           | 590*520                                                                             |         |            | 770*520                                                                             |         |              | 730*430                                                                             |       |          |
|                     | Cable Line                  | 5*1.5mm² / 0.9M                                                                     |         |            | 5*1.5mm²+3*1.5mm² / 0.9M                                                            |         |              | 3*1.5/2.5mm² / 0.9M                                                                 |       |          |
|                     | Plug                        | -                                                                                   |         |            | -                                                                                   |         |              | KC/VDE                                                                              |       |          |
| Package             | Base size ( mm )            | 556*476*55                                                                          |         |            | 740*482*55                                                                          |         |              | -                                                                                   |       |          |
|                     | Installation ( mm )         | 560*480                                                                             |         |            | 750*490                                                                             |         |              | 680*380                                                                             |       |          |
|                     | Package 1A ( W x H x D,mm ) | 683*110*640                                                                         |         |            | 870*110*640                                                                         |         |              | 830*500*130                                                                         |       |          |
|                     | Loading 1A (20'/40'/40HQ)   | 630/1277/1469                                                                       |         |            | 470/989/1140                                                                        |         |              | 585/1190/1360                                                                       |       |          |

IT7010B4-AJ




Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




IT7030B4-AJ



Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




IF7230B4LP-CA

LOW Power




Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



|                   |                             |                             |       |          |                             |       |          |                             |       |          |
|-------------------|-----------------------------|-----------------------------|-------|----------|-----------------------------|-------|----------|-----------------------------|-------|----------|
| Product picture   |                             |                             |       |          |                             |       |          |                             |       |          |
| Basic Information | Model                       | IT7010B4-AJ                 |       |          | IT7030B4-AJ                 |       |          | IF7210B4-CA                 |       |          |
|                   | Rating                      | 220-240~, 50/60Hz           |       |          | 220-240~, 50/60Hz           |       |          | 220-240~, 50/60Hz           |       |          |
|                   | Certification               | CE,CB                       |       |          | CE,CB                       |       |          | CE,CB                       |       |          |
|                   | Control Type                | Touch control               |       |          | Slider touch control        |       |          | Slider touch control        |       |          |
|                   | Power Rating ( W )          | 7000                        |       |          | 7000                        |       |          | 7200                        |       |          |
|                   | Left front                  | 160mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) | 200mm                       | 1800W | 2000W(B) |
|                   | Left rear                   | 160mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) | 160mm                       | 1600W | -        |
|                   | Right front                 | 320mm                       | 3000W | 3500W(B) | 320mm                       | 3000W | 3500W(B) | 180mm                       | 1600W | 1800W(B) |
|                   | Right rear                  | -                           | -     | -        |                             |       |          | 180mm                       | 1600W | 1800W(B) |
|                   | Product Size ( mm )         | 590*520*60                  |       |          | 590*520*60                  |       |          | 590*520*60                  |       |          |
| Features          | LED                         | RED                         |       |          | RED                         |       |          | RED                         |       |          |
|                   | Booster                     | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Independent Timer           | 99 Minutes                  |       |          | 99 Minutes                  |       |          | 99 Minutes                  |       |          |
|                   | Power Setting               | 9-Stage                     |       |          | 9-Stage                     |       |          | 9-Stage                     |       |          |
|                   | Pan Sensor                  | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Automatic Safety Switch off | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | High Heating Protection     | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | High/low Voltage Protection | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Child Lock                  | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Pause                       | -                           |       |          | √                           |       |          | √                           |       |          |
|                   | Warm                        | -                           |       |          | √                           |       |          | √                           |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG |       |          | CHINESE/SCHOTT/EUROKERA/NEG |       |          | CHINESE/SCHOTT/EUROKERA/NEG |       |          |
|                   | Glass Size ( mm )           | 590*520                     |       |          | 590*520                     |       |          | 590*520                     |       |          |
|                   | Cable Line                  | 5*1.5mm <sup>2</sup> / 0.9M |       |          | 5*1.5mm <sup>2</sup> / 0.9M |       |          | 5*1.5mm <sup>2</sup> / 0.9M |       |          |
|                   | Plug                        | -                           |       |          | -                           |       |          | -                           |       |          |
| Package           | Base size ( mm )            | 556*476*55                  |       |          | 556*476*55                  |       |          | 556*476*55                  |       |          |
|                   | Installation ( mm )         | 560*480                     |       |          | 560*480                     |       |          | 560*480                     |       |          |
|                   | Package ( W x H x D,mm )    | 650*107*580                 |       |          | 650*107*580                 |       |          | 650*107*580                 |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 740/1500/1708               |       |          | 740/1500/1708               |       |          | 740/1500/1708               |       |          |

## IT5810B3LP




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7217B3LP-AA




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT603AB3LP-AE




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7231B3LP-AA




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT7020B3LP-AE




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection






## IF7240B3LP-AA






## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT5810B3LP                                                                        |       |          | IT603AB3LP-AE                                                                      |       |          | IT7020B3LP-AE                                                                       |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Touch control                                                                     |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400/5800                                                                         |       |          | 6000                                                                               |       |          | 7000                                                                                |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | -        | 180mm                                                                              | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                             | 1800W | 2000W(B) | 180mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                             | 1800W | 2200W(B) | 280mm                                                                              | 2200W | 2500W(B) | 280mm                                                                               | 3000W | 3500W(B) |
|                   | Right rear                  | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 450*510*60                                                                        |       |          | 590*520*57                                                                         |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | -                                                                                  |       |          | √                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUOKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          |
|                   | Glass Size ( mm )           | 450*510                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/5*1.5mm²/ 0.9M                                                           |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                            |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 418*478*55                                                                        |       |          | 556*476*55                                                                         |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 430*490                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 520*105*580                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 880/1820/2140                                                                     |       |          | 820/1650/1900                                                                      |       |          | 820/1650/1900                                                                       |       |          |

|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7217B3LP-AA                                                                       |       |          | IF7231B3LP-AA                                                                       |       |          | IF7240B3LP-AA                                                                       |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Touch control                                                                       |       |          | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          |
|                   | Left front                  | 180mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right rear                  | 180mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Product Size ( mm )         | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                   |       |          | √                                                                                   |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 820/1650/1900                                                                       |       |          | 820/1650/1900                                                                       |       |          | 740/1540/1805                                                                       |       |          |

## ID3662B3-A1




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## ID3610B3-C1



## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## ID3620B3-A1




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## ID3612B3-B1




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## ID36K3B4-C1




## Features

- \* Knob control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## ID3620B3-F




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT5810B3




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT5810B3LP




## IT5828B3


HIDDEN  
Control

## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT5828B3LP




## IT5821B3




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT5862B3




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT5862B3LP




## IT5820B3




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT5820B3LP




## IT6220B3




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT5510B3-AD




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT5510B3LP-AD




## IT7018B3-CE




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT7018B3LP-CE




## IT6015B3-BE




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT6015B3LP-BE




## IT6522B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT6522B3LP-AE




## IT6517B3-AE




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT6517B3LP-AE




## IT7062B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT6562B3LP-AE




## IT7020B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT7020B3LP-AE




## IF7210B3-AA




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7210B3LP-AA




## IT7031B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT7031B3LP-AE




## IF7215B3-AA




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7215B3LP-AA




## IT7041B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IT7041B3LP-AE




## IF7217B3-AC




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7217B3LP-AC




## IF7218B3-AC




## Features

- \* Touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7218B3LP-AC




## IF7262B3-AC



## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7262B3LP-AC




## IF7221B3-AA



## Features

- \* Slider touch control
- \* Boost
- \* Warm, Puase
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7221B3LP-AA




## IF7230B3-AA




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7230B3LP-AA




## IF723AB3-BB




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF723AB3LP-BB




## IF7240B3-AA




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7240B3LP-AA




MAGNET  
Knob


IF7282B3-AA

**Features**


- \* Magnet knob control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection

HIDDEN  
Control

IF7268B3-BB

**Features**


- \* Touch control
- \* Boost
- \* Puase ,Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Light colors option: red, blue, white
- \* Constantly heating in low power : IF7268B3LP-BB




IF7250B3-AC

**Features**


- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7250B3LP-AC

HIDDEN  
Control


IF7228B3-AC

**Features**


- \* Touch control
- \* Boost
- \* Puase, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Light colors option: red, blue, white
- \* Constantly heating in low power : IF7228B3LP-AC




IF7222B3-AA

**Features**


- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Constantly heating in low power : IF7222B3LP-AA

LOW  
Power


IF3520B3LP-AC

**Features**

- \* Slider touch control
- \* Boost
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IV10015B3-AA



## Features

- \* Touch control
- \* Boost
- \* Pause, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Size 90cm:IV10015B3-AA90




## IF8633B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Pause, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Size 90cm:IF8633B3-AE90




## IV10062B3-AA



## Features

- \* Slider touch control
- \* Boost
- \* Pause, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Size 90cm:IV10062B3-AA90




## IF8631B3-AE




## Features

- \* Slider touch control
- \* Boost
- \* Pause, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Size 90cm:IF8631B3-AE90




## IV10020B3-AA




## Features

- \* Slider touch control
- \* Boost
- \* Pause, Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Size 90cm:IV10020B3-AA90





## IF7215B4RH-AA





## Features




- \* Touch control
- \* Boost
- \* Pause
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection









|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | ID3662B3-A1                                                                       |       |          | ID3620B3-A1                                                                        |       |          | ID36K3B4-C1                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Slider touch control                                                               |       |          | Knob control                                                                        |       |          |
|                   | Power Rating ( W )          | 3600                                                                              |       |          | 3600                                                                               |       |          | 3600                                                                                |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 160mm                                                                               | 1600W | -        |
|                   | Left rear                   | 180mm                                                                             | 1600W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 200mm                                                                               | 1800W | 2000W(B) |
|                   | Right front                 | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Right rear                  | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 288*520*60                                                                        |       |          | 288*520*60                                                                         |       |          | 288*520*60                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | -                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | √                                                                                  |       |          | -                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 288*520                                                                           |       |          | 288*520                                                                            |       |          | 288*520                                                                             |       |          |
|                   | Cable Line                  | 3*1.5mm <sup>2</sup> / 0.9M                                                       |       |          | 3*1.5mm <sup>2</sup> / 0.9M                                                        |       |          | 3*1.5mm <sup>2</sup> / 0.9M                                                         |       |          |
|                   | Plug                        | KC / VDE                                                                          |       |          | KC / VDE                                                                           |       |          | KC / VDE                                                                            |       |          |
| Package           | Base size ( mm )            | 258*483*53                                                                        |       |          | 258*483*53                                                                         |       |          | 258*483*53                                                                          |       |          |
|                   | Installation ( mm )         | 270*495                                                                           |       |          | 270*495                                                                            |       |          | 270*495                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 360*105*590                                                                       |       |          | 360*105*590                                                                        |       |          | 360*105*590                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 1370/2750/3050                                                                    |       |          | 1370/2750/3050                                                                     |       |          | 1370/2750/3050                                                                      |       |          |




Product picture




|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | ID3610B3-C1                                                                         |       |          | ID3612B3-B1                                                                         |       |          | ID3620B3-F                                                                          |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Touch control                                                                       |       |          | Touch control                                                                       |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3600                                                                                |       |          | 3600                                                                                |       |          | 3600                                                                                |       |          |
|                   | Left front                  | 160mm                                                                               | 1600W | -        | 160mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 200mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | -                                                                                   | -     | -        | -                                                                                   | -     | -        | -                                                                                   | -     | -        |
|                   | Right rear                  | -                                                                                   | -     | -        | -                                                                                   | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 288*520*60                                                                          |       |          | 288*520*60                                                                          |       |          | 288*520*60                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
|                   | Warm                        | -                                                                                   |       |          | -                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 288*520                                                                             |       |          | 288*520                                                                             |       |          | 288*520                                                                             |       |          |
|                   | Cable Line                  | 3*1.5mm <sup>2</sup> / 0.9M                                                         |       |          | 3*1.5mm <sup>2</sup> / 0.9M                                                         |       |          | 3*1.5mm <sup>2</sup> / 0.9M                                                         |       |          |
|                   | Plug                        | KC / VDE                                                                            |       |          | KC / VDE                                                                            |       |          | KC / VDE                                                                            |       |          |
| Package           | Base size ( mm )            | 258*483*53                                                                          |       |          | 258*483*53                                                                          |       |          | 258*483*53                                                                          |       |          |
|                   | Installation ( mm )         | 270*495                                                                             |       |          | 270*495                                                                             |       |          | 270*495                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 360*105*590                                                                         |       |          | 360*105*590                                                                         |       |          | 360*105*590                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 1370/2750/3050                                                                      |       |          | 1370/2750/3050                                                                      |       |          | 1370/2750/3050                                                                      |       |          |




|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT5810B3                                                                          |       |          | IT5821B3                                                                           |       |          | IT5820B3                                                                            |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Touch control                                                                     |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400 / 5800                                                                       |       |          | 3400 / 5800                                                                        |       |          | 3400 / 5800                                                                         |       |          |
|                   | Left front                  | 180mm                                                                             | 1800W | 2000W(B) | 180mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                             | 1600W | -        | 180mm                                                                              | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                             | 1800W | 2200W(B) | 180mm                                                                              | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Right rear                  | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 450*510*60                                                                        |       |          | 450*510*60                                                                         |       |          | 450*510*60                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 450*510                                                                           |       |          | 450*510                                                                            |       |          | 450*510                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/5*1.5mm²/ 0.9M                                                           |       |          | 4*1.5mm²/5*1.5mm²/ 0.9M                                                            |       |          | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 418*478*55                                                                        |       |          | 418*478*55                                                                         |       |          | 418*478*55                                                                          |       |          |
|                   | Installation ( mm )         | 430*490                                                                           |       |          | 430*490                                                                            |       |          | 430*490                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 520*105*580                                                                       |       |          | 520*105*580                                                                        |       |          | 520*105*580                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 970/1940/2240                                                                     |       |          | 970/1940/2240                                                                      |       |          | 970/1940/2240                                                                       |       |          |


|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT5828B3                                                                            |       |          | IT5862B3                                                                            |       |          | IT6220B3                                                                            |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400 / 5800                                                                         |       |          | 3400 / 5800                                                                         |       |          | 3400 / 6200                                                                         |       |          |
|                   | Left front                  | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) | 200mm                                                                               | 1800W | 2600W(B) |
|                   | Right rear                  | -                                                                                   | -     | -        | -                                                                                   | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 450*510*60                                                                          |       |          | 450*510*60                                                                          |       |          | 450*510*60                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 450*510                                                                             |       |          | 450*510                                                                             |       |          | 450*510                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          | 4*1.5mm²/5*1.5mm²/ 0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 418*478*55                                                                          |       |          | 418*478*55                                                                          |       |          | 418*478*55                                                                          |       |          |
|                   | Installation ( mm )         | 430*490                                                                             |       |          | 430*490                                                                             |       |          | 430*490                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 520*105*580                                                                         |       |          | 520*105*580                                                                         |       |          | 520*105*580                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 970/1940/2240                                                                       |       |          | 970/1940/2240                                                                       |       |          | 970/1940/2240                                                                       |       |          |

|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT5510B3-AD                                                                       |       |          | IT6015B3-BE                                                                        |       |          | IT6517B3-AE                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Touch control                                                                      |       |          | Touch control                                                                       |       |          |
|                   | Power Rating ( W )          | 5500                                                                              |       |          | 6000                                                                               |       |          | 6500                                                                                |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | -        | 160mm                                                                              | 1600W | -        | 180mm                                                                               | 1600W | -        |
|                   | Left rear                   | 180mm                                                                             | 1800W | 2000W(B) | 180mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) |
|                   | Right front                 | 200mm                                                                             | 1800W | 2000W(B) | 280mm                                                                              | 2200W | 2500W(B) | 280mm                                                                               | 2600W | 3000W(B) |
|                   | Right rear                  | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                        |       |          | 590*520*57                                                                         |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
|                   | Warm                        | -                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                 |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                  |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                        |       |          | 556*476*55                                                                         |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                     |       |          | 818/1691/1880                                                                      |       |          | 818/1691/1880                                                                       |       |          |




|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT7018B3-CE                                                                         |       |          | IT6522B3-AE                                                                         |       |          | IT7062B3-AE                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                                |       |          | Touch control                                                                       |       |          | Touch control                                                                       |       |          |
|                   | Power Rating ( W )          | 7000                                                                                |       |          | 6500                                                                                |       |          | 7000                                                                                |       |          |
|                   | Left front                  | 160mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 280mm                                                                               | 3000W | 3500W(B) | 280mm                                                                               | 2600W | 3000W(B) | 280mm                                                                               | 3000W | 3500W(B) |
|                   | Right rear                  | -                                                                                   | -     | -        | -                                                                                   | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | -                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          |




|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT7020B3-AE                                                                       |       |          | IT7031B3-AE                                                                        |       |          | IT7041B3-AE                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 7000                                                                              |       |          | 7000                                                                               |       |          | 7000                                                                                |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                             | 1600W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 280mm                                                                             | 3000W | 3500W(B) | 280mm                                                                              | 3000W | 3500W(B) | 280mm                                                                               | 3000W | 3500W(B) |
|                   | Right rear                  | -                                                                                 | -     | -        | -                                                                                  | -     | -        | -                                                                                   | -     | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                        |       |          | 590*520*57                                                                         |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                 |       |          | √                                                                                  |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | √                                                                                  |       |          | -                                                                                   |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUOKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/ 5*1.5mm²/0.9M                                                           |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                            |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                        |       |          | 556*476*55                                                                         |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                     |       |          | 818/1691/1880                                                                      |       |          | 818/1691/1880                                                                       |       |          |




|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7210B3-AA                                                                         |       |          | IF7215B3-AA                                                                         |       |          | IF7217B3-AC                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Touch control                                                                       |       |          | Touch control                                                                       |       |          | Touch control                                                                       |       |          |
|                   | Power Rating ( W )          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          |
|                   | Left front                  | 180mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | -        |
|                   | Left rear                   | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) |
|                   | Right front                 | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) | 200mm                                                                               | 1800W | 2000W(B) |
|                   | Right rear                  | 180mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | -        | 160mm                                                                               | 1600W | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
|                   | Warm                        | -                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          |

|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7218B3-AC                                                                       |       |          | IF7221B3-BB                                                                        |       |          | IF723AB3-BB                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400/7200                                                                         |       |          | 3400/7200                                                                          |       |          | 3400/7200                                                                           |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | -        | 160mm                                                                              | 1600W | -        | 160mm                                                                               | 1600W | -        |
|                   | Left rear                   | 180mm                                                                             | 1800W | 2000W(B) | 180mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) |
|                   | Right front                 | 200mm                                                                             | 1800W | 2000W(B) | 180mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1800W | 2000W(B) |
|                   | Right rear                  | 160mm                                                                             | 1600W | -        | 160mm                                                                              | 1600W | -        | 160mm                                                                               | 1600W | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                        |       |          | 590*520*57                                                                         |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | √                                                                                  |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                 |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                  |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                        |       |          | 556*476*55                                                                         |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                     |       |          | 818/1691/1880                                                                      |       |          | 818/1691/1880                                                                       |       |          |

Product picture

|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7262B3-AC                                                                         |       |          | IF7230B3-AA                                                                         |       |          | IF7240B3-AA                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400 / 7200                                                                         |       |          | 3400 / 7 200                                                                        |       |          | 3400 / 7200                                                                         |       |          |
|                   | Left front                  | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 200mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right rear                  | 160mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Product Size ( mm )         | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                   |       |          | √                                                                                   |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | √                                                                                   |       |          | -                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          | 4*1.5mm <sup>2</sup> / 5*1.5mm <sup>2</sup> /0.9M                                   |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          |


|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7228B3-AA                                                                       |       |          | IF7250B3-AC                                                                        |       |          | IF7222B3-AA                                                                         |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 3400 / 7200                                                                       |       |          | 3400 / 7200                                                                        |       |          | 3400 / 7200                                                                         |       |          |
|                   | Left front                  | 180mm                                                                             | 1600W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                             | 1800W | 1800W(B) | 180mm                                                                              | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                             | 1800W | 1800W(B) | 200mm                                                                              | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right rear                  | 180mm                                                                             | 1600W | 1800W(B) | 160mm                                                                              | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Product Size ( mm )         | 590*520*57                                                                        |       |          | 590*520*57                                                                         |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
|                   | Warm                        | √                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/ 5*1.5mm²/0.9M                                                           |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                            |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                        |       |          | 556*476*55                                                                         |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 818/1691/1880                                                                     |       |          | 818/1691/1880                                                                      |       |          | 818/1691/1880                                                                       |       |          |

|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7268B3-BB (Hidden)                                                                |       |          | IF7228B3-AC (Hidden)                                                                |       |          | IF3520B3-AC (Low power)                                                             |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                                |       |          | Touch control                                                                       |       |          | Touch control                                                                       |       |          |
|                   | Power Rating ( W )          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          | 3400/7200                                                                           |       |          |
|                   | Left front                  | 160mm                                                                               | 1600W | -        | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                                                                               | 1800W | 2000W(B) | 180mm                                                                               | 1600W | 1800W(B) | 180mm                                                                               | 1600W | 1800W(B) |
|                   | Right front                 | 180mm                                                                               | 1800W | 2000W(B) | 200mm                                                                               | 1800W | 2000W(B) | 200mm                                                                               | 1800W | 2000W(B) |
|                   | Right rear                  | 160mm                                                                               | 1600W | -        | 160mm                                                                               | 1600W | -        | 160mm                                                                               | 1600W | -        |
|                   | Product Size ( mm )         | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          | 590*520*57                                                                          |       |          |
| Features          | LED                         | RED / BLUE / WHITE                                                                  |       |          | RED / BLUE / WHITE                                                                  |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M                                                             |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          | 556*476*55                                                                          |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          |

|                   |                             |                             |              |          |                             |              |          |                             |              |          |
|-------------------|-----------------------------|-----------------------------|--------------|----------|-----------------------------|--------------|----------|-----------------------------|--------------|----------|
| Product picture   |                             |                             |              |          |                             |              |          |                             |              |          |
| Basic Information | Model                       | IV10015B3-AA                |              |          | IV10062B3-AA                |              |          | IV10020B3-AA                |              |          |
|                   | Rating                      | 220-240~,50-60Hz            |              |          | 220-240~,50-60Hz            |              |          | 220-240~,50-60Hz            |              |          |
|                   | Certification               | CE,CB                       |              |          | CE,CB                       |              |          | CE,CB                       |              |          |
|                   | Control Type                | Touch control               |              |          | Slider touch control        |              |          | Slider touch control        |              |          |
|                   | Power Rating ( W )          | 10000                       |              |          | 10000                       |              |          | 10000                       |              |          |
|                   | Left front                  | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) |
|                   | Left rear                   | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) |
|                   | Right front                 | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) |
|                   | Right rear                  | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) | 180mm                       | 1600W        | 1800W(B) |
|                   | Middle                      | 260mm                       | 2600W        | 3000W(B) | 260mm                       | 2600W        | 3000W(B) | 260mm                       | 2600W        | 3000W(B) |
|                   | Product Size ( mm )         | 770*520*60 / 900*520*60     |              |          | 770*520*60 / 900*520*60     |              |          | 770*520*60 / 900*520*60     |              |          |
| Features          | LED                         | RED                         |              |          | RED                         |              |          | RED                         |              |          |
|                   | Booster                     | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | Independent Timer           | 99 Minutes                  |              |          | 99 Minutes                  |              |          | 99 Minutes                  |              |          |
|                   | Power Setting               | 9-Stage                     |              |          | 9-Stage                     |              |          | 9-Stage                     |              |          |
|                   | Pan Sensor                  | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | Automatic Safety Switch off | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | High Heating Protection     | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | High/low Voltage Protection | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | Child Lock                  | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | Pause                       | √                           |              |          | √                           |              |          | √                           |              |          |
|                   | Warm                        | -                           |              |          | √                           |              |          | √                           |              |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG |              |          | CHINESE/SCHOTT/EUROKERA/NEG |              |          | CHINESE/SCHOTT/EUROKERA/NEG |              |          |
|                   | Glass Size ( mm )           | 770*520 / 900*520           |              |          | 770*520 / 900*520           |              |          | 770*520 / 900*520           |              |          |
|                   | Cable Line ( 77cm Glass )   | 4*1.5mm²/ 5*1.5mm²/0.9M     |              |          | 4*1.5mm²/ 5*1.5mm²/0.9M     |              |          | 4*1.5mm²/ 5*1.5mm²/0.9M     |              |          |
|                   | Cable Line ( 90cm Glass )   | 5*2.5mm²/ 4*2.5mm²/0.9M     |              |          | 5*2.5mm²/ 4*2.5mm²/0.9M     |              |          | 5*2.5mm²/ 4*2.5mm²/0.9M     |              |          |
| Package           | Base size ( mm )            | 740*482*55 / 860*482*55     |              |          | 740*482*55 / 860*482*55     |              |          | 740*482*55 / 860*482*55     |              |          |
|                   | Installation ( mm )         | 750*490 / 870*490           |              |          | 750*490 / 870*490           |              |          | 750*490 / 870*490           |              |          |
|                   | Package ( W x H x D,mm )    | 840*105*585 / 985*110*640   |              |          | 840*105*585 / 985*110*640   |              |          | 840*105*585 / 985*110*640   |              |          |
|                   | Loading(20'/40'/40HQ)       | 600/1222/1380               | 430/980/1030 |          | 600/1222/1380               | 430/980/1030 |          | 600/1222/1380               | 430/980/1030 |          |

|                   |                             |                             |       |          |                             |       |          |                             |       |          |
|-------------------|-----------------------------|-----------------------------|-------|----------|-----------------------------|-------|----------|-----------------------------|-------|----------|
| Product picture   |                             |                             |       |          |                             |       |          |                             |       |          |
| Basic Information | Model                       | IF8633B3-AE                 |       |          | IF8631B3-AE                 |       |          | IF7215B4RH-AA               |       |          |
|                   | Rating                      | 220-240~,50-60Hz            |       |          | 220-240~,50-60Hz            |       |          | 220-240~,50-60Hz            |       |          |
|                   | Certification               | CE,CB                       |       |          | CE,CB                       |       |          | CE,CB                       |       |          |
|                   | Control Type                | Touch control               |       |          | Slider touch control        |       |          | Slider touch control        |       |          |
|                   | Power Rating ( W )          | 8800                        |       |          | 8800                        |       |          | 7200                        |       |          |
|                   | Left front                  | 180mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) |
|                   | Left rear                   | 180mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) | 180mm                       | 1600W | 1800W(B) |
|                   | Right front                 | 260mm                       | 2600W | 3000W(B) | 260mm                       | 2600W | 3000W(B) | 180mm                       | 1600W | 1800W(B) |
|                   | Right rear                  | 200mm                       | 1800W | 2200W(B) | 200mm                       | 1800W | 2200W(B) | 180mm                       | 1600W | 1800W(B) |
|                   | Middle                      | -                           | -     | -        | -                           | -     | -        | 347*107mm                   |       | 300W     |
|                   | Product Size ( mm )         | 770*520*60                  |       |          | 770*520*60                  |       |          | 770*520*285                 |       |          |
| Features          | LED                         | RED                         |       |          | RED                         |       |          | RED                         |       |          |
|                   | Booster                     | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Independent Timer           | 99 Minutes                  |       |          | 99 Minutes                  |       |          | 99 Minutes                  |       |          |
|                   | Power Setting               | 9-Stage                     |       |          | 9-Stage                     |       |          | 9-Stage                     |       |          |
|                   | Pan Sensor                  | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Automatic Safety Switch off | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | High Heating Protection     | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | High/low Voltage Protection | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Child Lock                  | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Pause                       | √                           |       |          | √                           |       |          | √                           |       |          |
|                   | Warm                        | √                           |       |          | √                           |       |          | -                           |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG |       |          | CHINESE/SCHOTT/EUROKERA/NEG |       |          | CHINESE/SCHOTT/EUROKERA/NEG |       |          |
|                   | Glass Size ( mm )           | 770*520                     |       |          | 770*520                     |       |          | 770*520                     |       |          |
|                   | Cable Line                  | 4*1.5mm²/ 5*1.5mm²/0.9M     |       |          | 4*1.5mm²/ 5*1.5mm²/0.9M     |       |          | 4*2.5mm²/ 5*1.5mm²/0.9M     |       |          |
|                   | Plug                        | -                           |       |          | -                           |       |          | -                           |       |          |
| Package           | Base size ( mm )            | 740*482*55                  |       |          | 740*482*55                  |       |          | 740*482*285                 |       |          |
|                   | Installation ( mm )         | 750*490                     |       |          | 750*490                     |       |          | 750*490*335                 |       |          |
|                   | Package ( W x H x D,mm )    | 840*105*585                 |       |          | 840*105*585                 |       |          | 945*680*400                 |       |          |
|                   | Loading(20'/40'/40HQ)       | 600/1222/1380               |       |          | 600/1222/1380               |       |          | 108/225/265                 |       |          |

## IT5821B2



## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7263B2




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7231B2




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7224B2


HIDDEN  
Control

## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7223B2




## Features

- \* Slider touch control
- \* Boost
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection







## IF7261B2




HIDDEN  
Control

## Features


- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-------|----------|------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IT5821B2                                                                          |       |          | IF7231B2                                                                           |       |          | IF7223B2                                                                            |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |       |          | 220-240~, 50/60Hz                                                                  |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                             |       |          | CE,CB                                                                              |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                              |       |          | Slider touch control                                                               |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 5800                                                                              |       |          | 7200                                                                               |       |          | 7200                                                                                |       |          |
|                   | Left front                  | 210mm                                                                             | 1800W | 2200W(B) | 180mm                                                                              | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Left rear                   | 210mm                                                                             | 1800W | 2200W(B) | 180mm                                                                              | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Right front                 | 210mm                                                                             | 1800W | 2200W(B) | 180mm                                                                              | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Right rear                  | -                                                                                 | -     | -        | 180mm                                                                              | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Product Size ( mm )         | 590*520*56                                                                        |       |          | 590*520*56                                                                         |       |          | 590*520*56                                                                          |       |          |
| Features          | LED                         | RED                                                                               |       |          | RED                                                                                |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                        |       |          | 99 Minutes                                                                         |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                           |       |          | 9-Stage                                                                            |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                 |       |          | √                                                                                  |       |          | √                                                                                   |       |          |
|                   | Pause                       | -                                                                                 |       |          | -                                                                                  |       |          | √                                                                                   |       |          |
|                   | Warm                        | -                                                                                 |       |          | -                                                                                  |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                   |       |          |                                                                                    |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                           |       |          | 590*520                                                                            |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 5*1.5mm²/4*1.5mm²/0.9M                                                            |       |          | 5*1.5mm²/4*1.5mm²/0.9M                                                             |       |          | 5*1.5mm²/4*1.5mm²/0.9M                                                              |       |          |
|                   | Plug                        | -                                                                                 |       |          | -                                                                                  |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 555*485*52.5                                                                      |       |          | 555*485*52.5                                                                       |       |          | 555*485*52.5                                                                        |       |          |
|                   | Installation ( mm )         | 560*480                                                                           |       |          | 560*480                                                                            |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                       |       |          | 560*105*640                                                                        |       |          | 560*105*640                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 818/1691/1880                                                                     |       |          | 818/1691/1880                                                                      |       |          | 818/1691/1880                                                                       |       |          |


|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|-------------------------------------------------------------------------------------|-------|----------|
| Product picture   |                             |  |       |          |  |       |          |  |       |          |
| Basic Information | Model                       | IF7263B2                                                                            |       |          | IF7224B2(Hidden)                                                                    |       |          | IF7261B2(Hidden)                                                                    |       |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          | 220-240~, 50/60Hz                                                                   |       |          |
|                   | Certification               | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          | CE,CB                                                                               |       |          |
|                   | Control Type                | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          | Slider touch control                                                                |       |          |
|                   | Power Rating ( W )          | 7200                                                                                |       |          | 7200                                                                                |       |          | 7200                                                                                |       |          |
|                   | Left front                  | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Left rear                   | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Right front                 | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Right rear                  | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) | 180mm                                                                               | 1800W | 2200W(B) |
|                   | Product Size ( mm )         | 590*520*56                                                                          |       |          | 590*520*56                                                                          |       |          | 590*520*56                                                                          |       |          |
| Features          | LED                         | RED                                                                                 |       |          | RED                                                                                 |       |          | RED                                                                                 |       |          |
|                   | Booster                     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Independent Timer           | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          | 99 Minutes                                                                          |       |          |
|                   | Power Setting               | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          | 9-Stage                                                                             |       |          |
|                   | Pan Sensor                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Automatic Safety Switch off | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High Heating Protection     | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | High/low Voltage Protection | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Child Lock                  | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Pause                       | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   | Warm                        | √                                                                                   |       |          | √                                                                                   |       |          | √                                                                                   |       |          |
|                   |                             |                                                                                     |       |          |                                                                                     |       |          |                                                                                     |       |          |
| Option            | Glass                       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |          |
|                   | Glass Size ( mm )           | 590*520                                                                             |       |          | 590*520                                                                             |       |          | 590*520                                                                             |       |          |
|                   | Cable Line                  | 5*1.5mm²/4*1.5mm²/0.9M                                                              |       |          | 5*1.5mm²/4*1.5mm²/0.9M                                                              |       |          | 5*1.5mm²/4*1.5mm²/0.9M                                                              |       |          |
|                   | Plug                        | -                                                                                   |       |          | -                                                                                   |       |          | -                                                                                   |       |          |
| Package           | Base size ( mm )            | 555*485*52.5                                                                        |       |          | 555*485*52.5                                                                        |       |          | 555*485*52.5                                                                        |       |          |
|                   | Installation ( mm )         | 560*480                                                                             |       |          | 560*480                                                                             |       |          | 560*480                                                                             |       |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          | 560*105*640                                                                         |       |          |
|                   | Loading (20'/40'/40HQ)      | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          | 818/1691/1880                                                                       |       |          |

## ID3510B1



## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## IT6520B1



## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection



## ID3620B1N




## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IF7010B1




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT6510B1




## Features

- \* Touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection




## IT7020B1





## Features

- \* Slider touch control
- \* Boost
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection






INDUCTION HOB / 30-60 CM

1ST GEN

|                   |                             |                                                                                   |                             |          |                                                                                    |                             |          |                                                                                     |                             |          |
|-------------------|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------|----------|------------------------------------------------------------------------------------|-----------------------------|----------|-------------------------------------------------------------------------------------|-----------------------------|----------|
| Product picture   |                             |  |                             |          |  |                             |          |  |                             |          |
| Basic Information | Model                       | ID3510B1                                                                          |                             |          | ID3620B1N                                                                          |                             |          | IT6510B1                                                                            |                             |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                 |                             |          | 220-240~, 50/60Hz                                                                  |                             |          | 220-240~, 50/60Hz                                                                   |                             |          |
|                   | Certification               | CE,CB                                                                             |                             |          | CE,CB                                                                              |                             |          | CE,CB                                                                               |                             |          |
|                   | Control Type                | Touch control                                                                     |                             |          | Slider touch control                                                               |                             |          | Touch control                                                                       |                             |          |
|                   | Power Rating ( W )          | 3500                                                                              |                             |          | 3600                                                                               |                             |          | 6500                                                                                |                             |          |
|                   | Left front                  | 160mm                                                                             | 1200W                       | 1500W(B) | 180mm                                                                              | 1800W                       | 2200W(B) | 160mm                                                                               | 1200W                       | 1500W(B) |
|                   | Left rear                   | 210mm                                                                             | 2300W                       | 2600W(B) | 180mm                                                                              | 1800W                       | 2200W(B) | 210mm                                                                               | 2300W                       | 2600W(B) |
|                   | Right front                 | -                                                                                 | -                           | -        | -                                                                                  | -                           | -        | 280mm                                                                               | 2300W                       | 3000W(B) |
|                   | Right rear                  | -                                                                                 | -                           | -        | -                                                                                  | -                           | -        | -                                                                                   | -                           | -        |
|                   | Product Size ( mm )         | 288*520*57                                                                        |                             |          | 288*520*57                                                                         |                             |          | 590*520*57.5                                                                        |                             |          |
| Features          | LED                         | RED                                                                               |                             |          | RED                                                                                |                             |          | RED                                                                                 |                             |          |
|                   | Booster                     | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | Independent Timer           | 99 Minutes                                                                        |                             |          | 99 Minutes                                                                         |                             |          | 99 Minutes                                                                          |                             |          |
|                   | Power Setting               | 9-Stage                                                                           |                             |          | 9-Stage                                                                            |                             |          | 9-Stage                                                                             |                             |          |
|                   | Pan Sensor                  | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | Automatic Safety Switch off | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | High Heating Protection     | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | High/low Voltage Protection | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | Child Lock                  | √                                                                                 |                             |          | √                                                                                  |                             |          | √                                                                                   |                             |          |
|                   | Pause                       | -                                                                                 |                             |          | -                                                                                  |                             |          | -                                                                                   |                             |          |
|                   | Warm                        | -                                                                                 |                             |          | √                                                                                  |                             |          | -                                                                                   |                             |          |
|                   | Option                      | Glass                                                                             | CHINESE/SCHOTT/EUROKERA/NEG |          |                                                                                    | CHINESE/SCHOTT/EUROKERA/NEG |          |                                                                                     | CHINESE/SCHOTT/EUROKERA/NEG |          |
| Glass Size ( mm ) |                             | 288*520                                                                           |                             |          | 288*520                                                                            |                             |          | 590*520                                                                             |                             |          |
| Cable Line        |                             | 3*1.5mm²/ 0.9M                                                                    |                             |          | 3*1.5mm²/ 0.9M                                                                     |                             |          | 4*1.5mm²/ 0.9M                                                                      |                             |          |
| Plug              |                             | -                                                                                 |                             |          | -                                                                                  |                             |          | -                                                                                   |                             |          |
| Package           | Base size ( mm )            | 260*485*52.8                                                                      |                             |          | 260*485*52.8                                                                       |                             |          | 555*485*52.5                                                                        |                             |          |
|                   | Installation ( mm )         | 270*495                                                                           |                             |          | 270*495                                                                            |                             |          | 560*490                                                                             |                             |          |
|                   | Package ( W x H x D,mm )    | 360*105*590                                                                       |                             |          | 360*105*590                                                                        |                             |          | 560*105*640                                                                         |                             |          |
|                   | Loading ( 20'/40'/40HQ)     | 1370/2750/3050                                                                    |                             |          | 1370/2750/3050                                                                     |                             |          | 818/1691/1880                                                                       |                             |          |

INDUCTION HOB / 60 CM

1ST GEN

|                   |                             |                                                                                     |                             |          |                                                                                     |                             |          |                                                                                     |                             |          |
|-------------------|-----------------------------|-------------------------------------------------------------------------------------|-----------------------------|----------|-------------------------------------------------------------------------------------|-----------------------------|----------|-------------------------------------------------------------------------------------|-----------------------------|----------|
| Product picture   |                             |  |                             |          |  |                             |          |  |                             |          |
| Basic Information | Model                       | IT6520B1                                                                            |                             |          | IF7010B1                                                                            |                             |          | IF7020B1                                                                            |                             |          |
|                   | Rating                      | 220-240~, 50/60Hz                                                                   |                             |          | 220-240~, 50/60Hz                                                                   |                             |          | 220-240~, 50/60Hz                                                                   |                             |          |
|                   | Certification               | CE,CB                                                                               |                             |          | CE,CB                                                                               |                             |          | CE,CB                                                                               |                             |          |
|                   | Control Type                | Slider touch control                                                                |                             |          | Touch control                                                                       |                             |          | Slider touch control                                                                |                             |          |
|                   | Power Rating ( W )          | 6500                                                                                |                             |          | 7000                                                                                |                             |          | 7000                                                                                |                             |          |
|                   | Left front                  | 160mm                                                                               | 1200W                       | 1500W(B) | 160mm                                                                               | 1200W                       | 1500W(B) | 160mm                                                                               | 1200W                       | 1500W(B) |
|                   | Left rear                   | 210mm                                                                               | 2300W                       | 2600W(B) | 210mm                                                                               | 2300W                       | 2600W(B) | 210mm                                                                               | 2300W                       | 2600W(B) |
|                   | Right front                 | 280mm                                                                               | 2300W                       | 3000W(B) | 210mm                                                                               | 2300W                       | 2600W(B) | 210mm                                                                               | 2300W                       | 2600W(B) |
|                   | Right rear                  | -                                                                                   | -                           | -        | 160mm                                                                               | 1200W                       | 1500W(B) | 160mm                                                                               | 1200W                       | 1500W(B) |
|                   | Product Size ( mm )         | 590*520*57.5                                                                        |                             |          | 590*520*57.5                                                                        |                             |          | 590*520*57.5                                                                        |                             |          |
| Features          | LED                         | RED                                                                                 |                             |          | RED                                                                                 |                             |          | RED                                                                                 |                             |          |
|                   | Booster                     | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | Independent Timer           | 99 Minutes                                                                          |                             |          | 99 Minutes                                                                          |                             |          | 99 Minutes                                                                          |                             |          |
|                   | Power Setting               | 9-Stage                                                                             |                             |          | 9-Stage                                                                             |                             |          | 9-Stage                                                                             |                             |          |
|                   | Pan Sensor                  | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | Automatic Safety Switch off | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | High Heating Protection     | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | High/low Voltage Protection | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | Child Lock                  | √                                                                                   |                             |          | √                                                                                   |                             |          | √                                                                                   |                             |          |
|                   | Pause                       | -                                                                                   |                             |          | -                                                                                   |                             |          | -                                                                                   |                             |          |
|                   | Warm                        | -                                                                                   |                             |          | -                                                                                   |                             |          | -                                                                                   |                             |          |
|                   | Option                      | Glass                                                                               | CHINESE/SCHOTT/EUROKERA/NEG |          |                                                                                     | CHINESE/SCHOTT/EUROKERA/NEG |          |                                                                                     | CHINESE/SCHOTT/EUROKERA/NEG |          |
| Glass Size ( mm ) |                             | 590*520                                                                             |                             |          | 590*520                                                                             |                             |          | 590*520                                                                             |                             |          |
| Cable Line        |                             | 4*1.5mm²/ 0.9M                                                                      |                             |          | 4*1.5mm²/ 0.9M                                                                      |                             |          | 4*1.5mm²/ 0.9M                                                                      |                             |          |
| Plug              |                             | -                                                                                   |                             |          | -                                                                                   |                             |          | -                                                                                   |                             |          |
| Package           | Base size ( mm )            | 555*485*52.5                                                                        |                             |          | 555*485*52.5                                                                        |                             |          | 555*485*52.5                                                                        |                             |          |
|                   | Installation ( mm )         | 560*490                                                                             |                             |          | 560*490                                                                             |                             |          | 560*490                                                                             |                             |          |
|                   | Package ( W x H x D,mm )    | 560*105*640                                                                         |                             |          | 560*105*640                                                                         |                             |          | 560*105*640                                                                         |                             |          |
|                   | Loading ( 20'/40'/40HQ)     | 818/1691/1880                                                                       |                             |          | 818/1691/1880                                                                       |                             |          | 818/1691/1880                                                                       |                             |          |

**BUILT-IN  
CERAMIC  
HOB**





## ULTRA-THIN STYLE 35mm

BUILT-IN CERAMIC HOB / 2 & 4 ZONE



Touch control



9 stage power setting

**NEW**  
PRODUCT

# ULTRA-THIN

HD3010B3ES

BUILT-IN CERAMIC HOB / DOUBLE

# 35 mm

Include glass panel



HD3010B3ES

Features

- \* Ultra-thin style
- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless

1800W  
200mm

1200W  
165mm



HF6010B3ES

Features

- \* Ultra-thin style
- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless


1200W  
165mm

1800W  
200mm

1800W  
200mm

1200W  
165mm

47

|                   |                               |                                                                                     |       |                                                                                     |       |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------|
| Product picture   |                               |  |       |  |       |
| Basic Information | Model                         | HD3010B3ES                                                                          |       | HF6010B3ES                                                                          |       |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |       | 220-240~,50-60Hz                                                                    |       |
|                   | Certification                 | CE,CB                                                                               |       | CE,CB                                                                               |       |
|                   | Control Type                  | Touch control                                                                       |       | Touch control                                                                       |       |
|                   | Power Rating ( W )            | 3000                                                                                |       | 6000                                                                                |       |
|                   | Left front                    | 165mm                                                                               | 1200W | 200mm                                                                               | 1800W |
|                   | Left rear                     | 200mm                                                                               | 1800W | 165mm                                                                               | 1200W |
|                   | Right front                   | -                                                                                   | -     | 165mm                                                                               | 1200W |
|                   | Right rear                    | -                                                                                   | -     | 200mm                                                                               | 1800W |
|                   | Product Size ( mm )           | 288*520*35                                                                          |       | 590*520*35                                                                          |       |
| Features          | Slider Control                | -                                                                                   |       | -                                                                                   |       |
|                   | LED                           | RED                                                                                 |       | RED                                                                                 |       |
|                   | Heater Style                  | Single ring                                                                         |       | Single ring                                                                         |       |
|                   | Indepentent Timer             | 99 Minutes                                                                          |       | 99 Minutes                                                                          |       |
|                   | Power Setting                 | 9-Stage                                                                             |       | 9-Stage                                                                             |       |
|                   | Any material pots             | √                                                                                   |       | √                                                                                   |       |
|                   | Automatic Safety Switch off   | √                                                                                   |       | √                                                                                   |       |
|                   | High / low Voltage protection | √                                                                                   |       | √                                                                                   |       |
|                   | Overheat protection           | √                                                                                   |       | √                                                                                   |       |
|                   | Overflow protection           | √                                                                                   |       | √                                                                                   |       |
|                   | Child Lock                    | √                                                                                   |       | √                                                                                   |       |
|                   | Warm                          | -                                                                                   |       | -                                                                                   |       |
|                   | Pause                         | -                                                                                   |       | -                                                                                   |       |
|                   | Temperature Setting           | -                                                                                   |       | -                                                                                   |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       | CHINESE/SCHOTT/EUOKERA/NEG                                                          |       |
|                   | Glass Size ( mm )             | 288*520                                                                             |       | 590*520                                                                             |       |
|                   | Cable Line                    | 3*1.5mm <sup>2</sup> /0.9M                                                          |       | 4*1.5mm <sup>2</sup> /0.9M                                                          |       |
|                   | Plug                          | VDE/KC                                                                              |       | -                                                                                   |       |
| Package           | Base size ( mm )              | 488*260*30                                                                          |       | 482*556*30                                                                          |       |
|                   | Installation ( mm )           | 270*495                                                                             |       | 560*490                                                                             |       |
|                   | Package ( W x H x D,mm )      | 350*90*590                                                                          |       | 650*85*590                                                                          |       |
|                   | Loading(20'/40'/40HQ)         | 1556/3470/3870                                                                      |       | 962/1934/2114                                                                       |       |

CERAMIC HOB / 30-60 CM

ULTRA-THIN STYLE

48

## HD3010B3E



## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless



## HD3020B3E



## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HD3210B3E



## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HD3220B3E




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless



## HD30K1B3E



## Features

- \* Electric Knob Control
- \* 12 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HD3262B3E



## Features

- \* Slider touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HT5010B3E




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5062B3E




## Features

- \* Slider touch control
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5021B3E




## Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5028B3E


HIDDEN  
Control

## Features

- \* Slider touch control
- \* Child lock
- \* Pause, Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5031B3E




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5030B3E


HIDDEN  
Control

## Features

- \* Slider touch control
- \* Child lock
- \* Warm
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5210B3E




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5718B3E




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5315B3E




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HT5721B3E




## Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5317B3E




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HT5731B3E




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6010B3E




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6018B3E




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HF6015B3E



## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6021B3E




## Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6017B3E



## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6031B3E




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6062B3E



## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF60K1B3E




## Features

- \* Electric Knob Control
- \* 12 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6028B3E




## Features

- \* Touch control (Hidden)
- \* Warm
- \* Pause
- \* 99 minutes Timer
- \* Child lock
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6210B3E-R




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6030B3E




## Features

- \* Touch control (Hidden)
- \* Warm
- \* Pause
- \* 99 minutes Timer
- \* Child lock
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6415B3E-R




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6518B3E-R




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6262B3E-L




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6622B3E-R




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6428B3E-L


HIDDEN  
Control

## Features

- \* Touch control
- \* Warm, Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6732B3E-R




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6730B3E-L


HIDDEN  
Control

## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6210B3E-L




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6618B3E-L




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




## HF6415B3E-L




## Features

- \* Touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6721B3E-L




## Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6517B3E-L




## Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HF6731B3E-L




## Features

- \* Slider touch control
- \* Warm
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HV8315B3E




## Features

- \* Touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HV8515B3E




## Features

- \* Touch control
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HV8362B3E




## Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless




## HV8320B3E






## Features




- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless









|                   |                               |                                                                                   |       |                                                                                    |            |                                                                                     |       |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|-------|
| Product picture   |                               |  |       |  |            |  |       |
| Basic Information | Model                         | HD3010B3E                                                                         |       | HD3210B3E                                                                          |            | HD30K1B3E                                                                           |       |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |       | 220-240~,50-60Hz                                                                   |            | 220-240~,50-60Hz                                                                    |       |
|                   | Certification                 | CE,CB                                                                             |       | CE,CB                                                                              |            | CE,CB                                                                               |       |
|                   | Control Type                  | Touch control                                                                     |       | Touch control                                                                      |            | Knob control                                                                        |       |
|                   | Power Rating ( W )            | 3000                                                                              |       | 3200                                                                               |            | 3000                                                                                |       |
|                   | Left front                    | 165mm                                                                             | 1200W | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W |
|                   | Left rear                     | 200mm                                                                             | 1800W | 200mm                                                                              | 1000/2000W | 200mm                                                                               | 1800W |
|                   | Right front                   | -                                                                                 | -     | -                                                                                  | -          | -                                                                                   | -     |
|                   | Right rear                    | -                                                                                 | -     | -                                                                                  | -          | -                                                                                   | -     |
|                   | Product Size ( mm )           | 288*520*50                                                                        |       | 288*520*50                                                                         |            | 288*520*57                                                                          |       |
| Features          | Slider Control                | -                                                                                 |       | -                                                                                  |            | -                                                                                   |       |
|                   | LED                           | RED                                                                               |       | RED                                                                                |            | RED                                                                                 |       |
|                   | Heater Style                  | Single ring                                                                       |       | Dual ring                                                                          |            | Single ring                                                                         |       |
|                   | Indepentent Timer             | 99 Minutes                                                                        |       | 99 Minutes                                                                         |            | -                                                                                   |       |
|                   | Power Setting                 | 9-Stage                                                                           |       | 9-Stage                                                                            |            | 12-Stage                                                                            |       |
|                   | Any material pots             | √                                                                                 |       | √                                                                                  |            | √                                                                                   |       |
|                   | Automatic Safety Switch off   | √                                                                                 |       | √                                                                                  |            | √                                                                                   |       |
|                   | High / low Voltage protection | √                                                                                 |       | √                                                                                  |            | √                                                                                   |       |
|                   | Overheat protection           | √                                                                                 |       | √                                                                                  |            | √                                                                                   |       |
|                   | Overflow protection           | √                                                                                 |       | √                                                                                  |            | √                                                                                   |       |
|                   | Child Lock                    | √                                                                                 |       | √                                                                                  |            | -                                                                                   |       |
|                   | Warm                          | -                                                                                 |       | -                                                                                  |            | -                                                                                   |       |
|                   | Pause                         | -                                                                                 |       | -                                                                                  |            | -                                                                                   |       |
|                   | Temperature Setting           | -                                                                                 |       | -                                                                                  |            | -                                                                                   |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       | CHINESE/SCHOTT/EUROKERA/NEG                                                        |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |
|                   | Glass Size ( mm )             | 288*520                                                                           |       | 288*520                                                                            |            | 288*520                                                                             |       |
|                   | Cable Line                    | 3*1.5mm²/0.9M                                                                     |       | 3*1.5mm²/0.9M                                                                      |            | 3*1.5mm²/0.9M                                                                       |       |
|                   | Plug                          | VDE/KC                                                                            |       | VDE/KC                                                                             |            | VDE/KC                                                                              |       |
| Package           | Base size ( mm )              | 260*488*46                                                                        |       | 260*488*46                                                                         |            | 260*488*53                                                                          |       |
|                   | Installation ( mm )           | 270*495                                                                           |       | 270*495                                                                            |            | 270*495                                                                             |       |
|                   | Package ( W x H x D,mm )      | 360*105*590                                                                       |       | 360*105*590                                                                        |            | 360*105*590                                                                         |       |
|                   | Loading(20'/40'/40HQ)         | 1370/2750/3050                                                                    |       | 1370/2750/3050                                                                     |            | 1370/2750/3050                                                                      |       |

|                   |                               |                                                                                     |       |                                                                                     |            |                                                                                     |            |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|
| Product picture   |                               |  |       |  |            |  |            |
| Basic Information | Model                         | HD3020B3E                                                                           |       | HD3220B3E                                                                           |            | HD3262B3E                                                                           |            |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |       | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |            |
|                   | Certification                 | CE,CB                                                                               |       | CE,CB                                                                               |            | CE,CB                                                                               |            |
|                   | Control Type                  | Slider touch control                                                                |       | Slider touch control                                                                |            | Slider touch control                                                                |            |
|                   | Power Rating ( W )            | 3000                                                                                |       | 3200                                                                                |            | 3200                                                                                |            |
|                   | Left front                    | 165mm                                                                               | 1200W | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      |
|                   | Left rear                     | 200mm                                                                               | 1800W | 200mm                                                                               | 1000/2000W | 200mm                                                                               | 1000/1000W |
|                   | Right front                   | -                                                                                   | -     | -                                                                                   | -          | -                                                                                   | -          |
|                   | Right rear                    | -                                                                                   | -     | -                                                                                   | -          | -                                                                                   | -          |
|                   | Product Size ( mm )           | 288*520*50                                                                          |       | 288*520*50                                                                          |            | 288*520*50                                                                          |            |
| Features          | Slider Control                | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
|                   | LED                           | RED                                                                                 |       | RED                                                                                 |            | RED                                                                                 |            |
|                   | Heater Style                  | Single ring                                                                         |       | Dual ring                                                                           |            | Dual ring                                                                           |            |
|                   | Indepentent Timer             | 99 Minutes                                                                          |       | 99 Minutes                                                                          |            | 99 Minutes                                                                          |            |
|                   | Power Setting                 | 9-Stage                                                                             |       | 9-Stage                                                                             |            | 9-Stage                                                                             |            |
|                   | Any material pots             | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Automatic Safety Switch off   | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | High / low Voltage protection | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Overheat protection           | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Overflow protection           | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Child Lock                    | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Warm                          | -                                                                                   |       | -                                                                                   |            | √                                                                                   |            |
|                   | Pause                         | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
|                   | Temperature Setting           | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            |
|                   | Glass Size ( mm )             | 288*520                                                                             |       | 288*520                                                                             |            | 288*520                                                                             |            |
|                   | Cable Line                    | 3*1.5mm²/0.9M                                                                       |       | 3*1.5mm²/0.9M                                                                       |            | 3*1.5mm²/0.9M                                                                       |            |
|                   | Plug                          | VDE/KC                                                                              |       | VDE/KC                                                                              |            | VDE/KC                                                                              |            |
| Package           | Base size ( mm )              | 260*488*46                                                                          |       | 260*488*46                                                                          |            | 260*488*46                                                                          |            |
|                   | Installation ( mm )           | 270*495                                                                             |       | 270*495                                                                             |            | 270*495                                                                             |            |
|                   | Package ( W x H x D,mm )      | 360*105*590                                                                         |       | 360*105*590                                                                         |            | 360*105*590                                                                         |            |
|                   | Loading(20'/40'/40HQ)         | 1370/2750/3050                                                                      |       | 1370/2750/3050                                                                      |            | 1370/2750/3050                                                                      |            |

|                   |                               |                                                                                   |            |                                                                                    |            |                                                                                     |            |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|
| Product picture   |                               |  |            |  |            |  |            |
| Basic Information | Model                         | HT5010B3E                                                                         |            | HT5021B3E                                                                          |            | HT5031B3E                                                                           |            |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |            | 220-240~,50-60Hz                                                                   |            | 220-240~,50-60Hz                                                                    |            |
|                   | Certification                 | CE,CB                                                                             |            | CE,CB                                                                              |            | CE,CB                                                                               |            |
|                   | Control Type                  | Touch control                                                                     |            | Slider touch control                                                               |            | Slider touch control                                                                |            |
|                   | Power Rating ( W )            | 5000                                                                              |            | 5000                                                                               |            | 5000                                                                                |            |
|                   | Left front                    | 200mm                                                                             | 1800W      | 200mm                                                                              | 1800W      | 200mm                                                                               | 1800W      |
|                   | Left rear                     | 165mm                                                                             | 1200W      | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W      |
|                   | Right front                   | 200mm                                                                             | 1000/2000W | 200mm                                                                              | 1000/2000W | 200mm                                                                               | 1000/2000W |
|                   | Right rear                    | -                                                                                 | -          | -                                                                                  | -          | -                                                                                   | -          |
|                   | Product Size ( mm )           | 450*510*50                                                                        |            | 450*510*50                                                                         |            | 450*510*50                                                                          |            |
| Features          | Slider Control                | -                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | LED                           | RED                                                                               |            | RED                                                                                |            | RED                                                                                 |            |
|                   | Heater Style                  | Dual ring                                                                         |            | Dual ring                                                                          |            | Dual ring                                                                           |            |
|                   | Indepentent Timer             | 99 Minutes                                                                        |            | 99 Minutes                                                                         |            | 99 Minutes                                                                          |            |
|                   | Power Setting                 | 9-Stage                                                                           |            | 9-Stage                                                                            |            | 9-Stage                                                                             |            |
|                   | Any material pots             | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Automatic Safety Switch off   | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | High / low Voltage protection | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Overheat protection           | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Overflow protection           | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Child Lock                    | √                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Warm                          | -                                                                                 |            | √                                                                                  |            | √                                                                                   |            |
|                   | Pause                         | -                                                                                 |            | √                                                                                  |            | -                                                                                   |            |
|                   | Temperature Setting           | -                                                                                 |            | -                                                                                  |            | -                                                                                   |            |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |            | CHINESE/SCHOTT/EUROKERA/NEG                                                        |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            |
|                   | Glass Size ( mm )             | 450*510                                                                           |            | 450*510                                                                            |            | 450*510                                                                             |            |
|                   | Cable Line                    | 5*1.5mm²/4*1.5mm²/0.9M                                                            |            | 5*1.5mm²/4*1.5mm²/0.9M                                                             |            | 5*1.5mm²/4*1.5mm²/0.9M                                                              |            |
|                   | Plug                          | -                                                                                 |            | -                                                                                  |            | -                                                                                   |            |
| Package           | Base size ( mm )              | 410*478*45                                                                        |            | 410*478*45                                                                         |            | 410*478*45                                                                          |            |
|                   | Installation ( mm )           | 430*490                                                                           |            | 430*490                                                                            |            | 430*490                                                                             |            |
|                   | Package ( W x H x D,mm )      | 520*105*580                                                                       |            | 520*105*580                                                                        |            | 520*105*580                                                                         |            |
|                   | Loading(20'/40'/40HQ)         | 958/1940/2200                                                                     |            | 958/1940/2200                                                                      |            | 958/1940/2200                                                                       |            |




|                   |                               |                                                                                     |            |                                                                                     |            |                                                                                     |            |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|
| Product picture   |                               |  |            |  |            |  |            |
| Basic Information | Model                         | HT5062B3E                                                                           |            | HT5028B3E                                                                           |            | HT5030B3E                                                                           |            |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |            |
|                   | Certification                 | CE,CB                                                                               |            | CE,CB                                                                               |            | CE,CB                                                                               |            |
|                   | Control Type                  | Slider touch control                                                                |            | Slider touch control                                                                |            | Slider touch control                                                                |            |
|                   | Power Rating ( W )            | 5000                                                                                |            | 5000                                                                                |            | 5000                                                                                |            |
|                   | Left front                    | 200mm                                                                               | 1800W      | 200mm                                                                               | 1800W      | 200mm                                                                               | 1800W      |
|                   | Left rear                     | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      |
|                   | Right front                   | 200mm                                                                               | 1000/2000W | 200mm                                                                               | 1000/2000W | 200mm                                                                               | 1000/2000W |
|                   | Right rear                    | -                                                                                   | -          | -                                                                                   | -          | -                                                                                   | -          |
|                   | Product Size ( mm )           | 450*510*50                                                                          |            | 450*510*50                                                                          |            | 450*510*50                                                                          |            |
| Features          | Slider Control                | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | LED                           | RED                                                                                 |            | RED                                                                                 |            | RED                                                                                 |            |
|                   | Heater Style                  | Dual ring                                                                           |            | Dual ring                                                                           |            | Dual ring                                                                           |            |
|                   | Indepentent Timer             | 99 Minutes                                                                          |            | 99 Minutes                                                                          |            | 99 Minutes                                                                          |            |
|                   | Power Setting                 | 9-Stage                                                                             |            | 9-Stage                                                                             |            | 9-Stage                                                                             |            |
|                   | Any material pots             | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Automatic Safety Switch off   | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | High / low Voltage protection | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Overheat protection           | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Overflow protection           | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Child Lock                    | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Warm                          | √                                                                                   |            | √                                                                                   |            | √                                                                                   |            |
|                   | Pause                         | -                                                                                   |            | √                                                                                   |            | -                                                                                   |            |
|                   | Temperature Setting           | -                                                                                   |            | -                                                                                   |            | -                                                                                   |            |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            |
|                   | Glass Size ( mm )             | 450*510                                                                             |            | 450*510                                                                             |            | 450*510                                                                             |            |
|                   | Cable Line                    | 5*1.5mm²/4*1.5mm²/0.9M                                                              |            | 5*1.5mm²/4*1.5mm²/0.9M                                                              |            | 5*1.5mm²/4*1.5mm²/0.9M                                                              |            |
|                   | Plug                          | -                                                                                   |            | -                                                                                   |            | -                                                                                   |            |
| Package           | Base size ( mm )              | 410*478*45                                                                          |            | 410*478*45                                                                          |            | 410*478*45                                                                          |            |
|                   | Installation ( mm )           | 430*490                                                                             |            | 430*490                                                                             |            | 430*490                                                                             |            |
|                   | Package ( W x H x D,mm )      | 520*105*580                                                                         |            | 520*105*580                                                                         |            | 520*105*580                                                                         |            |
|                   | Loading(20'/40'/40HQ)         | 958/1940/2200                                                                       |            | 958/1940/2200                                                                       |            | 958/1940/2200                                                                       |            |



|                   |                               |                                                                                   |                |                                                                                    |                |                                                                                     |                |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |                |  |                |  |                |
| Basic Information | Model                         | HT5310B3E                                                                         |                | HT5315B3E                                                                          |                | HT5317B3E                                                                           |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |                | 220-240~,50-60Hz                                                                   |                | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                             |                | CE,CB                                                                              |                | CE,CB                                                                               |                |
|                   | Control Type                  | Touch control                                                                     |                | Touch control                                                                      |                | Touch control                                                                       |                |
|                   | Power Rating ( W )            | 5300                                                                              |                | 5300                                                                               |                | 5300                                                                                |                |
|                   | Left front                    | 200mm                                                                             | 1800W          | 200mm                                                                              | 1800W          | 200mm                                                                               | 1800W          |
|                   | Left rear                     | 165mm                                                                             | 1200W          | 165mm                                                                              | 1200W          | 165mm                                                                               | 1200W          |
|                   | Right front                   | 230mm                                                                             | 800/1600/2300W | 230mm                                                                              | 800/1600/2300W | 230mm                                                                               | 800/1600/2300W |
|                   | Right rear                    | -                                                                                 | -              | -                                                                                  | -              | -                                                                                   | -              |
|                   | Product Size ( mm )           | 590*520*50                                                                        |                | 590*520*50                                                                         |                | 590*520*50                                                                          |                |
| Features          | Slider Control                | -                                                                                 |                | -                                                                                  |                | -                                                                                   |                |
|                   | LED                           | RED                                                                               |                | RED                                                                                |                | RED                                                                                 |                |
|                   | Heater Style                  | Triple rings                                                                      |                | Triple rings                                                                       |                | Triple rings                                                                        |                |
|                   | Indepentent Timer             | 99 Minutes                                                                        |                | 99 Minutes                                                                         |                | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                           |                | 9-Stage                                                                            |                | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                 |                | √                                                                                  |                | √                                                                                   |                |
|                   | Warm                          | -                                                                                 |                | √                                                                                  |                | -                                                                                   |                |
|                   | Pause                         | -                                                                                 |                | -                                                                                  |                | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                 |                | -                                                                                  |                | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |                | CHINESE/SCHOTT/EUROKERA/NEG                                                        |                | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 590*520                                                                           |                | 590*520                                                                            |                | 590*520                                                                             |                |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                     |                | 4*1.5mm²/0.9M                                                                      |                | 4*1.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                 |                | -                                                                                  |                | -                                                                                   |                |
| Package           | Base size ( mm )              | 556*482*45                                                                        |                | 556*482*45                                                                         |                | 556*482*45                                                                          |                |
|                   | Installation ( mm )           | 560*490                                                                           |                | 560*490                                                                            |                | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                       |                | 560*105*640                                                                        |                | 560*105*640                                                                         |                |
|                   | Loading(20’/40’/40HQ)         | 818/1691/1880                                                                     |                | 818/1691/1880                                                                      |                | 818/1691/1880                                                                       |                |




|                   |                               |                                                                                     |                 |                                                                                     |                 |                                                                                     |                 |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|-----------------|-------------------------------------------------------------------------------------|-----------------|
| Product picture   |                               |  |                 |  |                 |  |                 |
| Basic Information | Model                         | HT5718B3E                                                                           |                 | HT5721B3E                                                                           |                 | HT5731B3E                                                                           |                 |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |                 | 220-240~,50-60Hz                                                                    |                 | 220-240~,50-60Hz                                                                    |                 |
|                   | Certification                 | CE,CB                                                                               |                 | CE,CB                                                                               |                 | CE,CB                                                                               |                 |
|                   | Control Type                  | Touch control                                                                       |                 | Slider touch control                                                                |                 | Slider touch control                                                                |                 |
|                   | Power Rating ( W )            | 5700                                                                                |                 | 5700                                                                                |                 | 5700                                                                                |                 |
|                   | Left front                    | 200mm                                                                               | 1800W           | 200mm                                                                               | 1800W           | 200mm                                                                               | 1800W           |
|                   | Left rear                     | 165mm                                                                               | 1200W           | 165mm                                                                               | 1200W           | 165mm                                                                               | 1200W           |
|                   | Right front                   | 300mm                                                                               | 1050/1950/2700W | 300mm                                                                               | 1050/1950/2700W | 300mm                                                                               | 1050/1950/2700W |
|                   | Right rear                    | -                                                                                   | -               | -                                                                                   | -               | -                                                                                   | -               |
|                   | Product Size ( mm )           | 590*520*50                                                                          |                 | 590*520*50                                                                          |                 | 590*520*50                                                                          |                 |
| Features          | Slider Control                | -                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | LED                           | RED                                                                                 |                 | RED                                                                                 |                 | RED                                                                                 |                 |
|                   | Heater Style                  | Triple rings                                                                        |                 | Triple rings                                                                        |                 | Triple rings                                                                        |                 |
|                   | Indepentent Timer             | 99 Minutes                                                                          |                 | 99 Minutes                                                                          |                 | 99 Minutes                                                                          |                 |
|                   | Power Setting                 | 9-Stage                                                                             |                 | 9-Stage                                                                             |                 | 9-Stage                                                                             |                 |
|                   | Any material pots             | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Automatic Safety Switch off   | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | High / low Voltage protection | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Overheat protection           | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Overflow protection           | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Child Lock                    | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Warm                          | √                                                                                   |                 | √                                                                                   |                 | √                                                                                   |                 |
|                   | Pause                         | -                                                                                   |                 | √                                                                                   |                 | -                                                                                   |                 |
|                   | Temperature Setting           | -                                                                                   |                 | -                                                                                   |                 | -                                                                                   |                 |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                 | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                 | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                 |
|                   | Glass Size ( mm )             | 590*520                                                                             |                 | 590*520                                                                             |                 | 590*520                                                                             |                 |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                       |                 | 4*1.5mm²/0.9M                                                                       |                 | 4*1.5mm²/0.9M                                                                       |                 |
|                   | Plug                          | -                                                                                   |                 | -                                                                                   |                 | -                                                                                   |                 |
| Package           | Base size ( mm )              | 556*482*45                                                                          |                 | 556*482*45                                                                          |                 | 556*482*45                                                                          |                 |
|                   | Installation ( mm )           | 560*490                                                                             |                 | 560*490                                                                             |                 | 560*490                                                                             |                 |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                         |                 | 560*105*640                                                                         |                 | 560*105*640                                                                         |                 |
|                   | Loading(20’/40’/40HQ)         | 818/1691/1880                                                                       |                 | 818/1691/1880                                                                       |                 | 818/1691/1880                                                                       |                 |




|                   |                               |                             |       |                             |       |                             |       |
|-------------------|-------------------------------|-----------------------------|-------|-----------------------------|-------|-----------------------------|-------|
| Product picture   |                               |                             |       |                             |       |                             |       |
| Basic Information | Model                         | HF6010B3E                   |       | HF6015B3E                   |       | HF6017B3E                   |       |
|                   | Rating                        | 220-240~,50-60Hz            |       | 220-240~,50-60Hz            |       | 220-240~,50-60Hz            |       |
|                   | Certification                 | CE,CB                       |       | CE,CB                       |       | CE,CB                       |       |
|                   | Control Type                  | Touch control               |       | Touch control               |       | Touch control               |       |
|                   | Power Rating ( W )            | 6000                        |       | 6000                        |       | 6000                        |       |
|                   | Left front                    | 200mm                       | 1800W | 200mm                       | 1800W | 200mm                       | 1800W |
|                   | Left rear                     | 165mm                       | 1200W | 165mm                       | 1200W | 165mm                       | 1200W |
|                   | Right front                   | 165mm                       | 1200W | 165mm                       | 1200W | 165mm                       | 1200W |
|                   | Right rear                    | 200mm                       | 1800W | 200mm                       | 1800W | 200mm                       | 1800W |
|                   | Product Size ( mm )           | 590*520*50                  |       | 590*520*50                  |       | 590*520*50                  |       |
| Features          | Slider Control                | -                           |       | -                           |       | -                           |       |
|                   | LED                           | RED                         |       | RED                         |       | RED                         |       |
|                   | Heater Style                  | Single ring                 |       | Single ring                 |       | Single ring                 |       |
|                   | Indepentent Timer             | 99 Minutes                  |       | 99 Minutes                  |       | 99 Minutes                  |       |
|                   | Power Setting                 | 9-Stage                     |       | 9-Stage                     |       | 9-Stage                     |       |
|                   | Any material pots             | √                           |       | √                           |       | √                           |       |
|                   | Automatic Safety Switch off   | √                           |       | √                           |       | √                           |       |
|                   | High / low Voltage protection | √                           |       | √                           |       | √                           |       |
|                   | Overheat protection           | √                           |       | √                           |       | √                           |       |
|                   | Overflow protection           | √                           |       | √                           |       | √                           |       |
|                   | Child Lock                    | √                           |       | √                           |       | √                           |       |
|                   | Warm                          | -                           |       | √                           |       | -                           |       |
|                   | Pause                         | -                           |       | -                           |       | -                           |       |
|                   | Temperature Setting           | -                           |       | -                           |       | -                           |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG |       | CHINESE/SCHOTT/EUROKERA/NEG |       | CHINESE/SCHOTT/EUROKERA/NEG |       |
|                   | Glass Size ( mm )             | 590*520                     |       | 590*520                     |       | 590*520                     |       |
|                   | Cable Line                    | 4*1.5mm²/0.9M               |       | 4*1.5mm²/0.9M               |       | 4*1.5mm²/0.9M               |       |
|                   | Plug                          | -                           |       | -                           |       | -                           |       |
| Package           | Base size ( mm )              | 556*482*45                  |       | 556*482*45                  |       | 556*482*45                  |       |
|                   | Installation ( mm )           | 560*490                     |       | 560*490                     |       | 560*490                     |       |
|                   | Package ( W x H x D,mm )      | 560*105*640                 |       | 560*105*640                 |       | 560*105*640                 |       |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880               |       | 818/1691/1880               |       | 818/1691/1880               |       |




|                   |                               |                             |       |                             |       |                             |       |
|-------------------|-------------------------------|-----------------------------|-------|-----------------------------|-------|-----------------------------|-------|
| Product picture   |                               |                             |       |                             |       |                             |       |
| Basic Information | Model                         | HF6018B3E                   |       | HF6021B3E                   |       | HF6031B3E                   |       |
|                   | Rating                        | 220-240~,50-60Hz            |       | 220-240~,50-60Hz            |       | 220-240~,50-60Hz            |       |
|                   | Certification                 | CE,CB                       |       | CE,CB                       |       | CE,CB                       |       |
|                   | Control Type                  | Touch control               |       | Slider touch control        |       | Slider touch control        |       |
|                   | Power Rating ( W )            | 6000                        |       | 6000                        |       | 6000                        |       |
|                   | Left front                    | 200mm                       | 1800W | 200mm                       | 1800W | 200mm                       | 1800W |
|                   | Left rear                     | 165mm                       | 1200W | 165mm                       | 1200W | 165mm                       | 1200W |
|                   | Right front                   | 165mm                       | 1200W | 165mm                       | 1200W | 165mm                       | 1200W |
|                   | Right rear                    | 200mm                       | 1800W | 200mm                       | 1800W | 200mm                       | 1800W |
|                   | Product Size ( mm )           | 590*520*50                  |       | 590*520*50                  |       | 590*520*50                  |       |
| Features          | Slider Control                | -                           |       | √                           |       | √                           |       |
|                   | LED                           | RED                         |       | RED                         |       | RED                         |       |
|                   | Heater Style                  | Single ring                 |       | Single ring                 |       | Single ring                 |       |
|                   | Indepentent Timer             | 99 Minutes                  |       | 99 Minutes                  |       | 99 Minutes                  |       |
|                   | Power Setting                 | 9-Stage                     |       | 9-Stage                     |       | 9-Stage                     |       |
|                   | Any material pots             | √                           |       | √                           |       | √                           |       |
|                   | Automatic Safety Switch off   | √                           |       | √                           |       | √                           |       |
|                   | High / low Voltage protection | √                           |       | √                           |       | √                           |       |
|                   | Overheat protection           | √                           |       | √                           |       | √                           |       |
|                   | Overflow protection           | √                           |       | √                           |       | √                           |       |
|                   | Child Lock                    | √                           |       | √                           |       | √                           |       |
|                   | Warm                          | √                           |       | √                           |       | √                           |       |
|                   | Pause                         | -                           |       | √                           |       | -                           |       |
|                   | Temperature Setting           | -                           |       | -                           |       | -                           |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG |       | CHINESE/SCHOTT/EUROKERA/NEG |       | CHINESE/SCHOTT/EUROKERA/NEG |       |
|                   | Glass Size ( mm )             | 590*520                     |       | 590*520                     |       | 590*520                     |       |
|                   | Cable Line                    | 4*1.5mm²/0.9M               |       | 4*1.5mm²/0.9M               |       | 4*1.5mm²/0.9M               |       |
|                   | Plug                          | -                           |       | -                           |       | -                           |       |
| Package           | Base size ( mm )              | 556*482*45                  |       | 556*482*45                  |       | 556*482*45                  |       |
|                   | Installation ( mm )           | 560*490                     |       | 560*490                     |       | 560*490                     |       |
|                   | Package ( W x H x D,mm )      | 560*105*640                 |       | 560*105*640                 |       | 560*105*640                 |       |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880               |       | 818/1691/1880               |       | 818/1691/1880               |       |



|                   |                               |                                                                                   |       |                                                                                    |       |                                                                                     |       |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------|
| Product picture   |                               |  |       |  |       |  |       |
| Basic Information | Model                         | HF6062B3E                                                                         |       | HF6028B3E                                                                          |       | HF6030B3E                                                                           |       |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |       | 220-240~,50-60Hz                                                                   |       | 220-240~,50-60Hz                                                                    |       |
|                   | Certification                 | CE,CB                                                                             |       | CE,CB                                                                              |       | CE,CB                                                                               |       |
|                   | Control Type                  | Slider touch control                                                              |       | Slider touch control                                                               |       | Slider touch control                                                                |       |
|                   | Power Rating ( W )            | 6000                                                                              |       | 6000                                                                               |       | 6000                                                                                |       |
|                   | Left front                    | 200mm                                                                             | 1800W | 200mm                                                                              | 1800W | 200mm                                                                               | 1800W |
|                   | Left rear                     | 165mm                                                                             | 1200W | 165mm                                                                              | 1200W | 165mm                                                                               | 1200W |
|                   | Right front                   | 165mm                                                                             | 1200W | 165mm                                                                              | 1200W | 165mm                                                                               | 1200W |
|                   | Right rear                    | 200mm                                                                             | 1800W | 200mm                                                                              | 1800W | 200mm                                                                               | 1800W |
|                   | Product Size ( mm )           | 590*520*50                                                                        |       | 590*520*50                                                                         |       | 590*520*50                                                                          |       |
| Features          | Slider Control                | -                                                                                 |       | -                                                                                  |       | -                                                                                   |       |
|                   | LED                           | RED                                                                               |       | RED                                                                                |       | RED                                                                                 |       |
|                   | Heater Style                  | Single ring                                                                       |       | Single ring                                                                        |       | Single ring                                                                         |       |
|                   | Indepentent Timer             | 99 Minutes                                                                        |       | 99 Minutes                                                                         |       | 99 Minutes                                                                          |       |
|                   | Power Setting                 | 9-Stage                                                                           |       | 9-Stage                                                                            |       | 9-Stage                                                                             |       |
|                   | Any material pots             | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Automatic Safety Switch off   | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | High / low Voltage protection | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Overheat protection           | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Overflow protection           | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Child Lock                    | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Warm                          | √                                                                                 |       | √                                                                                  |       | √                                                                                   |       |
|                   | Pause                         | -                                                                                 |       | √                                                                                  |       | -                                                                                   |       |
|                   | Temperature Setting           | -                                                                                 |       | -                                                                                  |       | -                                                                                   |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |       | CHINESE/SCHOTT/EUROKERA/NEG                                                        |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |
|                   | Glass Size ( mm )             | 590*520                                                                           |       | 590*520                                                                            |       | 590*520                                                                             |       |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                     |       | 4*1.5mm²/0.9M                                                                      |       | 4*1.5mm²/0.9M                                                                       |       |
|                   | Plug                          | -                                                                                 |       | -                                                                                  |       | -                                                                                   |       |
| Package           | Base size ( mm )              | 556*482*45                                                                        |       | 556*482*45                                                                         |       | 556*482*45                                                                          |       |
|                   | Installation ( mm )           | 560*490                                                                           |       | 560*490                                                                            |       | 560*490                                                                             |       |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                       |       | 560*105*640                                                                        |       | 560*105*640                                                                         |       |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                     |       | 818/1691/1880                                                                      |       | 818/1691/1880                                                                       |       |



|                   |                               |                                                                                     |       |                                                                                     |            |                                                                                     |            |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|
| Product picture   |                               |  |       |  |            |  |            |
| Basic Information | Model                         | HF60K1B3E                                                                           |       | HF6210B3E-R                                                                         |            | HF6415B3E-R                                                                         |            |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |       | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |            |
|                   | Certification                 | CE,CB                                                                               |       | CE,CB                                                                               |            | CE,CB                                                                               |            |
|                   | Control Type                  | Touch control                                                                       |       | Touch control                                                                       |            | Touch control                                                                       |            |
|                   | Power Rating ( W )            | 6000                                                                                |       | 6200                                                                                |            | 6400                                                                                |            |
|                   | Left front                    | 200mm                                                                               | 1800W | 200mm                                                                               | 1800W      | 230mm                                                                               | 1100/2200W |
|                   | Left rear                     | 165mm                                                                               | 1200W | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      |
|                   | Right front                   | 165mm                                                                               | 1200W | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      |
|                   | Right rear                    | 200mm                                                                               | 1800W | 270*165mm                                                                           | 1100/2000W | 200mm                                                                               | 1800W      |
|                   | Product Size ( mm )           | 590*520*57                                                                          |       | 590*520*50                                                                          |            | 590*520*50                                                                          |            |
| Features          | Slider Control                | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
|                   | LED                           | RED                                                                                 |       | RED                                                                                 |            | RED                                                                                 |            |
|                   | Heater Style                  | Single ring                                                                         |       | Dual ring                                                                           |            | Dual ring                                                                           |            |
|                   | Indepentent Timer             | -                                                                                   |       | 99 Minutes                                                                          |            | 99 Minutes                                                                          |            |
|                   | Power Setting                 | 12-Stage                                                                            |       | 9-Stage                                                                             |            | 9-Stage                                                                             |            |
|                   | Any material pots             | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Automatic Safety Switch off   | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | High / low Voltage protection | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Overheat protection           | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Overflow protection           | √                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Child Lock                    | -                                                                                   |       | √                                                                                   |            | √                                                                                   |            |
|                   | Warm                          | -                                                                                   |       | -                                                                                   |            | √                                                                                   |            |
|                   | Pause                         | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
|                   | Temperature Setting           | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            |
|                   | Glass Size ( mm )             | 590*520                                                                             |       | 590*520                                                                             |            | 590*520                                                                             |            |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                       |       | 4*1.5mm²/0.9M                                                                       |            | 4*1.5mm²/0.9M                                                                       |            |
|                   | Plug                          | -                                                                                   |       | -                                                                                   |            | -                                                                                   |            |
| Package           | Base size ( mm )              | 556*482*53                                                                          |       | 556*482*45                                                                          |            | 556*482*45                                                                          |            |
|                   | Installation ( mm )           | 560*490                                                                             |       | 560*490                                                                             |            | 560*490                                                                             |            |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                         |       | 560*105*640                                                                         |            | 560*105*640                                                                         |            |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                       |       | 818/1691/1880                                                                       |            | 818/1691/1880                                                                       |            |



|                   |                               |                                                                                   |                |                                                                                    |            |                                                                                     |                |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |                |  |            |  |                |
| Basic Information | Model                         | HF6518B3E-R                                                                       |                | HF6622B3E-R                                                                        |            | HF6732B3E-R                                                                         |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |                | 220-240~,50-60Hz                                                                   |            | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                             |                | CE,CB                                                                              |            | CE,CB                                                                               |                |
|                   | Control Type                  | Touch control                                                                     |                | Slider touch control                                                               |            | Slider touch control                                                                |                |
|                   | Power Rating ( W )            | 6500                                                                              |                | 6600                                                                               |            | 6700                                                                                |                |
|                   | Left front                    | 230mm                                                                             | 800/1600/2300W | 230mm                                                                              | 1100/2200W | 230mm                                                                               | 800/1600/2300W |
|                   | Left rear                     | 165mm                                                                             | 1200W          | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right front                   | 165mm                                                                             | 1200W          | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right rear                    | 200mm                                                                             | 1800W          | 270*165mm                                                                          | 1100/2200W | 270*165mm                                                                           | 1100/2200W     |
|                   | Product Size ( mm )           | 590*520*50                                                                        |                | 590*520*50                                                                         |            | 590*520*50                                                                          |                |
| Features          | Slider Control                | -                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | LED                           | RED                                                                               |                | RED                                                                                |            | RED                                                                                 |                |
|                   | Heater Style                  | Triple rings                                                                      |                | Triple rings                                                                       |            | Triple rings                                                                        |                |
|                   | Indepentent Timer             | 99 Minutes                                                                        |                | 99 Minutes                                                                         |            | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                           |                | 9-Stage                                                                            |            | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Warm                          | √                                                                                 |                | √                                                                                  |            | √                                                                                   |                |
|                   | Pause                         | -                                                                                 |                | -                                                                                  |            | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                 |                | -                                                                                  |            | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |                | CHINESE/SCHOTT/EUROKERA/NEG                                                        |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 590*520                                                                           |                | 590*520                                                                            |            | 590*520                                                                             |                |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                     |                | 4*1.5mm²/0.9M                                                                      |            | 4*1.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                 |                | -                                                                                  |            | -                                                                                   |                |
| Package           | Base size ( mm )              | 556*482*45                                                                        |                | 556*482*45                                                                         |            | 556*482*45                                                                          |                |
|                   | Installation ( mm )           | 560*490                                                                           |                | 560*490                                                                            |            | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                       |                | 560*105*640                                                                        |            | 560*105*640                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                     |                | 818/1691/1880                                                                      |            | 818/1691/1880                                                                       |                |

|                   |                               |                                                                                     |            |                                                                                     |            |                                                                                     |                |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |            |  |            |  |                |
| Basic Information | Model                         | HF6262B3E-L                                                                         |            | HF6428B3E-L                                                                         |            | HF6710B3E-L                                                                         |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                               |            | CE,CB                                                                               |            | CE,CB                                                                               |                |
|                   | Control Type                  | Slider touch control                                                                |            | Slider touch control                                                                |            | Slider touch control                                                                |                |
|                   | Power Rating ( W )            | 6200                                                                                |            | 6400                                                                                |            | 6700                                                                                |                |
|                   | Left front                    | 270*165mm                                                                           | 1100/2000W | 200mm                                                                               | 1800W      | 270*165mm                                                                           | 1100/2000W     |
|                   | Left rear                     | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right front                   | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right rear                    | 200mm                                                                               | 1800W      | 230mm                                                                               | 1100/2200W | 230mm                                                                               | 800/1600/2300W |
|                   | Product Size ( mm )           | 590*520*50                                                                          |            | 590*520*50                                                                          |            | 590*520*50                                                                          |                |
| Features          | Slider Control                | -                                                                                   |            | -                                                                                   |            | -                                                                                   |                |
|                   | LED                           | RED                                                                                 |            | RED                                                                                 |            | RED                                                                                 |                |
|                   | Heater Style                  | Dual ring                                                                           |            | Dual ring                                                                           |            | Triple rings                                                                        |                |
|                   | Indepentent Timer             | 99 Minutes                                                                          |            | 99 Minutes                                                                          |            | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                             |            | 9-Stage                                                                             |            | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Warm                          | √                                                                                   |            | √                                                                                   |            | √                                                                                   |                |
|                   | Pause                         | -                                                                                   |            | √                                                                                   |            | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                   |            | -                                                                                   |            | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 590*520                                                                             |            | 590*520                                                                             |            | 590*520                                                                             |                |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                       |            | 4*1.5mm²/0.9M                                                                       |            | 4*1.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                   |            | -                                                                                   |            | -                                                                                   |                |
| Package           | Base size ( mm )              | 556*482*45                                                                          |            | 556*482*45                                                                          |            | 556*482*45                                                                          |                |
|                   | Installation ( mm )           | 560*490                                                                             |            | 560*490                                                                             |            | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                         |            | 560*105*640                                                                         |            | 560*105*640                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                       |            | 818/1691/1880                                                                       |            | 818/1691/1880                                                                       |                |

|                   |                               |                                                                                   |            |                                                                                    |            |                                                                                     |                |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|------------|------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |            |  |            |  |                |
| Basic Information | Model                         | HF6210B3E-L                                                                       |            | HF6415B3E-L                                                                        |            | HF6517B3E-L                                                                         |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |            | 220-240~,50-60Hz                                                                   |            | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                             |            | CE,CB                                                                              |            | CE,CB                                                                               |                |
|                   | Control Type                  | Touch control                                                                     |            | Touch control                                                                      |            | Touch control                                                                       |                |
|                   | Power Rating ( W )            | 6200                                                                              |            | 6400                                                                               |            | 6500                                                                                |                |
|                   | Left front                    | 270*165mm                                                                         | 1100/2000W | 200mm                                                                              | 1800W      | 200mm                                                                               | 1800W          |
|                   | Left rear                     | 165mm                                                                             | 1200W      | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right front                   | 165mm                                                                             | 1200W      | 165mm                                                                              | 1200W      | 165mm                                                                               | 1200W          |
|                   | Right rear                    | 200mm                                                                             | 1800W      | 230mm                                                                              | 1100/2200W | 230mm                                                                               | 800/1600/2300W |
|                   | Product Size ( mm )           | 590*520*50                                                                        |            | 590*520*50                                                                         |            | 590*520*50                                                                          |                |
| Features          | Slider Control                | -                                                                                 |            | -                                                                                  |            | -                                                                                   |                |
|                   | LED                           | RED                                                                               |            | RED                                                                                |            | RED                                                                                 |                |
|                   | Heater Style                  | Dual ring                                                                         |            | Dual ring                                                                          |            | Triple rings                                                                        |                |
|                   | Indepentent Timer             | 99 Minutes                                                                        |            | 99 Minutes                                                                         |            | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                           |            | 9-Stage                                                                            |            | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                 |            | √                                                                                  |            | √                                                                                   |                |
|                   | Warm                          | -                                                                                 |            | √                                                                                  |            | -                                                                                   |                |
|                   | Pause                         | -                                                                                 |            | -                                                                                  |            | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                 |            | -                                                                                  |            | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |            | CHINESE/SCHOTT/EUROKERA/NEG                                                        |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 590*520                                                                           |            | 590*520                                                                            |            | 590*520                                                                             |                |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                     |            | 4*1.5mm²/0.9M                                                                      |            | 4*1.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                 |            | -                                                                                  |            | -                                                                                   |                |
| Package           | Base size ( mm )              | 556*482*45                                                                        |            | 556*482*45                                                                         |            | 556*482*45                                                                          |                |
|                   | Installation ( mm )           | 560*490                                                                           |            | 560*490                                                                            |            | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                       |            | 560*105*640                                                                        |            | 560*105*640                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                     |            | 818/1691/1880                                                                      |            | 818/1691/1880                                                                       |                |

|                   |                               |                                                                                     |            |                                                                                     |                |                                                                                     |                |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|------------|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |            |  |                |  |                |
| Basic Information | Model                         | HF6618B3E-L                                                                         |            | HF6721B3E-L                                                                         |                | HF6731B3E-L                                                                         |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |            | 220-240~,50-60Hz                                                                    |                | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                               |            | CE,CB                                                                               |                | CE,CB                                                                               |                |
|                   | Control Type                  | Slider touch control                                                                |            | Slider touch control                                                                |                | Slider touch control                                                                |                |
|                   | Power Rating ( W )            | 6600                                                                                |            | 6700                                                                                |                | 6700                                                                                |                |
|                   | Left front                    | 270*165mm                                                                           | 1100/2000W | 270*165mm                                                                           | 1100/2000W     | 270*165mm                                                                           | 1100/2000W     |
|                   | Left rear                     | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W          | 165mm                                                                               | 1200W          |
|                   | Right front                   | 165mm                                                                               | 1200W      | 165mm                                                                               | 1200W          | 165mm                                                                               | 1200W          |
|                   | Right rear                    | 230mm                                                                               | 1100/2200W | 230mm                                                                               | 800/1600/2300W | 230mm                                                                               | 800/1600/2300W |
|                   | Product Size ( mm )           | 590*520*50                                                                          |            | 590*520*50                                                                          |                | 590*520*50                                                                          |                |
| Features          | Slider Control                | -                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | LED                           | RED                                                                                 |            | RED                                                                                 |                | RED                                                                                 |                |
|                   | Heater Style                  | Dual ring                                                                           |            | Triple rings                                                                        |                | Triple rings                                                                        |                |
|                   | Indepentent Timer             | 99 Minutes                                                                          |            | 99 Minutes                                                                          |                | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                             |            | 9-Stage                                                                             |                | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Warm                          | √                                                                                   |            | √                                                                                   |                | √                                                                                   |                |
|                   | Pause                         | -                                                                                   |            | √                                                                                   |                | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                   |            | -                                                                                   |                | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |            | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 590*520                                                                             |            | 590*520                                                                             |                | 590*520                                                                             |                |
|                   | Cable Line                    | 4*1.5mm²/0.9M                                                                       |            | 4*1.5mm²/0.9M                                                                       |                | 4*1.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                   |            | -                                                                                   |                | -                                                                                   |                |
| Package           | Base size ( mm )              | 556*482*45                                                                          |            | 556*482*45                                                                          |                | 556*482*45                                                                          |                |
|                   | Installation ( mm )           | 560*490                                                                             |            | 560*490                                                                             |                | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 560*105*640                                                                         |            | 560*105*640                                                                         |                | 560*105*640                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 818/1691/1880                                                                       |            | 818/1691/1880                                                                       |                | 818/1691/1880                                                                       |                |

|                   |                               |                                                                                   |                |                                                                                     |                |
|-------------------|-------------------------------|-----------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |                |  |                |
| Basic Information | Model                         | HV8315B3E                                                                         |                | HV8362B3E                                                                           |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                  |                | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                             |                | CE,CB                                                                               |                |
|                   | Control Type                  | Touch control                                                                     |                | Slider touch control                                                                |                |
|                   | Power Rating ( W )            | 8300                                                                              |                | 8300                                                                                |                |
|                   | Left front                    | 200mm                                                                             | 1800W          | 200mm                                                                               | 1800W          |
|                   | Left rear                     | 165mm                                                                             | 1200W          | 165mm                                                                               | 1200W          |
|                   | Centre                        | 230mm                                                                             | 800/1600/2300W | 230mm                                                                               | 800/1600/2300W |
|                   | Right front                   | 200mm                                                                             | 1800W          | 200mm                                                                               | 1800W          |
|                   | Right rear                    | 165mm                                                                             | 1200W          | 165mm                                                                               | 1200W          |
|                   | Product Size ( mm )           | 770*520*50                                                                        |                | 770*520*50                                                                          |                |
|                   |                               |                                                                                   |                |                                                                                     |                |
| Features          | Slider Control                | -                                                                                 |                | √                                                                                   |                |
|                   | LED                           | RED                                                                               |                | RED                                                                                 |                |
|                   | Heater Style                  | Triple ring                                                                       |                | Triple ring                                                                         |                |
|                   | Indepentent Timer             | 99 Minutes                                                                        |                | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                           |                | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                 |                | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                 |                | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                 |                | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                 |                | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                 |                | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                 |                | √                                                                                   |                |
|                   | Warm                          | √                                                                                 |                | √                                                                                   |                |
|                   | Pause                         | √                                                                                 |                | √                                                                                   |                |
|                   |                               |                                                                                   |                |                                                                                     |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                       |                | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 770*520                                                                           |                | 770*520                                                                             |                |
|                   | Cable Line                    | 4*2.5mm²/0.9M                                                                     |                | 4*2.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                 |                | -                                                                                   |                |
| Package           | Base size ( mm )              | 740*482*45                                                                        |                | 740*482*45                                                                          |                |
|                   | Installation ( mm )           | 750*490                                                                           |                | 750*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 840*105*585                                                                       |                | 840*105*585                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 600/1222/1380                                                                     |                | 600/1222/1380                                                                       |                |

|                   |                               |                                                                                     |                |                                                                                     |                |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |                |  |                |
| Basic Information | Model                         | HV8320B3E                                                                           |                | HV8515B3E                                                                           |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |                | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                               |                | CE,CB                                                                               |                |
|                   | Control Type                  | Slider touch control                                                                |                | Touch control                                                                       |                |
|                   | Power Rating ( W )            | 8300                                                                                |                | 8500                                                                                |                |
|                   | Left front                    | 200mm                                                                               | 1800W          | 230mm                                                                               | 800/1600/2300W |
|                   | Left rear                     | 165mm                                                                               | 1200W          | 165mm                                                                               | 1200W          |
|                   | Centre                        | 230mm                                                                               | 800/1600/2300W | 165-270mm                                                                           | 2000W          |
|                   | Right front                   | 200mm                                                                               | 1800W          | 165mm                                                                               | 1200W          |
|                   | Right rear                    | 165mm                                                                               | 1200W          | 200mm                                                                               | 1800W          |
|                   | Product Size ( mm )           | 770*520*50                                                                          |                | 770*520*50                                                                          |                |
|                   |                               |                                                                                     |                |                                                                                     |                |
| Features          | Slider Control                | √                                                                                   |                | -                                                                                   |                |
|                   | LED                           | RED                                                                                 |                | RED                                                                                 |                |
|                   | Heater Style                  | Triple ring                                                                         |                | Triple ring                                                                         |                |
|                   | Indepentent Timer             | 99 Minutes                                                                          |                | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 9-Stage                                                                             |                | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                   |                | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                   |                | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                   |                | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                   |                | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                   |                | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                   |                | √                                                                                   |                |
|                   | Warm                          | √                                                                                   |                | √                                                                                   |                |
|                   | Pause                         | √                                                                                   |                | √                                                                                   |                |
|                   |                               |                                                                                     |                |                                                                                     |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 770*520                                                                             |                | 770*520                                                                             |                |
|                   | Cable Line                    | 4*2.5mm²/0.9M                                                                       |                | 4*2.5mm²/0.9M                                                                       |                |
|                   | Plug                          | -                                                                                   |                | -                                                                                   |                |
| Package           | Base size ( mm )              | 740*482*45                                                                          |                | 740*482*45                                                                          |                |
|                   | Installation ( mm )           | 750*490                                                                             |                | 750*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 840*105*585                                                                         |                | 840*105*585                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 600/1222/1380                                                                       |                | 600/1222/1380                                                                       |                |




HD2910B1

Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless

700W/1700W  
200mm

1200W  
165mm



HT5710B1

Features

- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless

1050W/1950W/2700W  
300mm

1800W  
200mm

1200W  
165mm



HF6010B1

Features



- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless

1200W  
165mm

1800W  
200mm

1800W  
200mm

1200W  
165mm


|                   |                               |                                                                                     |       |                                                                                     |                   |                                                                                     |       |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------|-------|
| Product picture   |                               |  |       |  |                   |  |       |
| Basic Information | Model                         | HD2910B1                                                                            |       | HT5710B1                                                                            |                   | HF6010B1                                                                            |       |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |       | 220-240~,50-60Hz                                                                    |                   | 220-240~,50-60Hz                                                                    |       |
|                   | Certification                 | CE,CB                                                                               |       | CE,CB                                                                               |                   | CE,CB                                                                               |       |
|                   | Control Type                  | Touch control                                                                       |       | Touch control                                                                       |                   | Touch control                                                                       |       |
|                   | Power Rating ( W )            | 2900                                                                                |       | 6700                                                                                |                   | 6000                                                                                |       |
|                   | Left front                    | 165mm                                                                               | 1200W | 300mm                                                                               | 1050W/1950W/2700W | 200mm                                                                               | 1800W |
|                   | Left rear                     | 200mm                                                                               | 1800W | -                                                                                   | -                 | 165mm                                                                               | 1200W |
|                   | Right front                   | -                                                                                   | -     | 165mm                                                                               | 1200W             | 165mm                                                                               | 1200W |
|                   | Right rear                    | -                                                                                   | -     | 200mm                                                                               | 1800W             | 200mm                                                                               | 1800W |
|                   | Product Size ( mm )           | 288*520*55                                                                          |       | 590*520*55                                                                          |                   | 590*520*55                                                                          |       |
| Features          | Slider Control                | -                                                                                   |       | -                                                                                   |                   | -                                                                                   |       |
|                   | LED                           | RED                                                                                 |       | RED                                                                                 |                   | RED                                                                                 |       |
|                   | Heater Style                  | Single ring                                                                         |       | Triple ring                                                                         |                   | Single ring                                                                         |       |
|                   | Indepentent Timer             | 99 Minutes                                                                          |       | 99 Minutes                                                                          |                   | 99 Minutes                                                                          |       |
|                   | Power Setting                 | 9-Stage                                                                             |       | 9-Stage                                                                             |                   | 9-Stage                                                                             |       |
|                   | Any material pots             | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | Automatic Safety Switch off   | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | High / low Voltage protection | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | Overheat protection           | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | Overflow protection           | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | Child Lock                    | √                                                                                   |       | √                                                                                   |                   | √                                                                                   |       |
|                   | Warm                          | -                                                                                   |       | -                                                                                   |                   | -                                                                                   |       |
|                   | Pause                         | -                                                                                   |       | -                                                                                   |                   | -                                                                                   |       |
|                   | Temperature Setting           | -                                                                                   |       | -                                                                                   |                   | -                                                                                   |       |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                   | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       |
|                   | Glass Size ( mm )             | 288*520                                                                             |       | 590*520                                                                             |                   | 590*520                                                                             |       |
|                   | Cable Line                    | 3*1.5mm²/0.9M                                                                       |       | 4*1.5mm²/0.9M                                                                       |                   | 4*1.5mm²/0.9M                                                                       |       |
|                   | Plug                          | VDE/KC                                                                              |       | -                                                                                   |                   | -                                                                                   |       |
| Package           | Base size ( mm )              | 488*260*50                                                                          |       | 484*556*50                                                                          |                   | 484*556*50                                                                          |       |
|                   | Installation ( mm )           | 265*490                                                                             |       | 560*490                                                                             |                   | 560*490                                                                             |       |
|                   | Package ( W x H x D,mm )      | 360*105*590                                                                         |       | 560*105*640                                                                         |                   | 560*105*640                                                                         |       |
|                   | Loading(20'/40'/40HQ)         | 1370/2750/3050                                                                      |       | 818/1691/1880                                                                       |                   | 818/1691/1880                                                                       |       |

HD2010B3E-12



Features

- \* Touch control
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Child lock
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless




HF4010B3E-12




Features

- \* Touch control
- \* 99 minutes Timer
- \* Child lock
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless






HV5620B3E-12




Features

- \* Slider touch control
- \* Warm
- \* Pause
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless



| Product picture   |                               |  |       |  |       |  |                  |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|-------|-------------------------------------------------------------------------------------|------------------|
| Basic Information | Model                         | HD2010B3E-12                                                                        |       | HF4010B3E-12                                                                        |       | HV5620B3E-12                                                                        |                  |
|                   | Rating                        | 110-120~,50-60Hz                                                                    |       | 110-120~,50-60Hz                                                                    |       | 110-120~,50-60Hz                                                                    |                  |
|                   | Certification                 | CE,CB                                                                               |       | CE,CB                                                                               |       | CE,CB                                                                               |                  |
|                   | Control Type                  | Touch control                                                                       |       | Touch control                                                                       |       | Slider touch control                                                                |                  |
|                   | Power Rating ( W )            | 2000                                                                                |       | 4000                                                                                |       | 5600                                                                                |                  |
|                   | Left front                    | 165mm                                                                               | 800W  | 200mm                                                                               | 1200W | 200mm                                                                               | 1200W            |
|                   | Left rear                     | 200mm                                                                               | 1200W | 165mm                                                                               | 800W  | 165mm                                                                               | 800W             |
|                   | Centre                        | -                                                                                   | -     | 165mm                                                                               | 800W  | 230mm                                                                               | 550W/1100W/1650W |
|                   | Right front                   | -                                                                                   | -     | 200mm                                                                               | 1200W | 200mm                                                                               | 1200W            |
|                   | Right rear                    | -                                                                                   | -     | -                                                                                   | -     | 165mm                                                                               | 800W             |
|                   | Product Size ( mm )           | 288*520*50                                                                          |       | 590*520*50                                                                          |       | 770*520*50                                                                          |                  |
| Features          | Slider Control                | -                                                                                   |       | -                                                                                   |       | -                                                                                   |                  |
|                   | LED                           | RED                                                                                 |       | RED                                                                                 |       | RED                                                                                 |                  |
|                   | Heater Style                  | Single ring                                                                         |       | Single ring                                                                         |       | Three ring                                                                          |                  |
|                   | Indepentent Timer             | 99 Minutes                                                                          |       | 99 Minutes                                                                          |       | 99 Minutes                                                                          |                  |
|                   | Power Setting                 | 9-Stage                                                                             |       | 9-Stage                                                                             |       | 9-Stage                                                                             |                  |
|                   | Any material pots             | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | Automatic Safety Switch off   | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | High / low Voltage protection | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | Overheat protection           | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | Overflow protection           | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | Child Lock                    | √                                                                                   |       | √                                                                                   |       | √                                                                                   |                  |
|                   | Warm                          | -                                                                                   |       | -                                                                                   |       | √                                                                                   |                  |
|                   | Pause                         | -                                                                                   |       | -                                                                                   |       | √                                                                                   |                  |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |       | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                  |
|                   | Glass Size ( mm )             | 288*520                                                                             |       | 590*520                                                                             |       | 770*520                                                                             |                  |
|                   | Cable Line                    | 3*1.5mm²/0.9M                                                                       |       | 4*2.5mm²/0.9M                                                                       |       | 4*2.5mm²/0.9M                                                                       |                  |
|                   | Plug                          | -                                                                                   |       | -                                                                                   |       | -                                                                                   |                  |
| Package           | Base size ( mm )              | 488*260*45.8                                                                        |       | 482*556*45                                                                          |       | 740*482*45                                                                          |                  |
|                   | Installation ( mm )           | 265*490                                                                             |       | 560*490                                                                             |       | 750*490                                                                             |                  |
|                   | Package ( W x H x D,mm )      | 360*105*590                                                                         |       | 560*105*640                                                                         |       | 840*105*585                                                                         |                  |
|                   | Loading(20'/40'/40HQ)         | 600/1222/1380                                                                       |       | 818/1691/1880                                                                       |       | 600/1222/1380                                                                       |                  |

DM43




Features

- \* Touch control
- \* 99 minutes Timer
- \* 5 stage power setting
- \* Child lock
- \* Automatic safety shut-off
- \* Overheat protection
- \* Overflow protection
- \* Suitable for any material pots
- \* Radiationless

700W/1700W  
200mm

1800W/2100W(B)  
145mm

IHT5820B1



Features


- \* Touch control
- \* Child lock
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless

2300W/2600W(B)  
210mm

800W/1600W/2300W  
200mm

1200W/1500W(B)  
160mm

IHF6620B3



Features




- \* Slider touch control
- \* Child lock
- \* Boost,Warm
- \* Puase
- \* 99 minutes Timer
- \* 9 stage power setting
- \* Overheat protection
- \* Overflow protection
- \* Automatic safety shut-off
- \* Suitable for any material pots
- \* Radiationless

1800W  
200mm

1600/1800W(B)  
180mm

800W  
165mm

1600/1800W(B)  
180mm

|                   |                               |                                                                                     |                |                                                                                     |                  |                                                                                     |                |
|-------------------|-------------------------------|-------------------------------------------------------------------------------------|----------------|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------|----------------|
| Product picture   |                               |  |                |  |                  |  |                |
| Basic Information | Model                         | DM43                                                                                |                | IHT5820B1                                                                           |                  | IHF6620B3                                                                           |                |
|                   | Rating                        | 220-240~,50-60Hz                                                                    |                | 220-240~,50-60Hz                                                                    |                  | 220-240~,50-60Hz                                                                    |                |
|                   | Certification                 | CE,CB                                                                               |                | CE,CB                                                                               |                  | CE,CB                                                                               |                |
|                   | Control Type                  | Touch control                                                                       |                | Slider touch control                                                                |                  | Slider touch control                                                                |                |
|                   | Power Rating ( W )            | 2800(Share power)                                                                   |                | 5800                                                                                |                  | 3400 / 5700                                                                         |                |
|                   | Left front                    | 145mm                                                                               | 1800W/2100W(B) | 160mm                                                                               | 1200W/1500W(B)   | 165mm                                                                               | 1200W          |
|                   | Left rear                     | 200mm                                                                               | 700W/1700W     | 210mm                                                                               | 2300W/2600W(B)   | 200mm                                                                               | 1800W          |
|                   | Right front                   | -                                                                                   | -              | 230mm                                                                               | 800W/1600W/2300W | 180mm                                                                               | 1600W/1800W(B) |
|                   | Right rear                    | -                                                                                   | -              | -                                                                                   | -                | 180mm                                                                               | 1600W/1800W(B) |
|                   | Product Size ( mm )           | 288*520*57.5                                                                        |                | 590*520*57.5                                                                        |                  | 590*520*60                                                                          |                |
| Features          | Slider Control                | -                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | LED                           | RED                                                                                 |                | RED                                                                                 |                  | RED                                                                                 |                |
|                   | Heater Style                  | Dual ring                                                                           |                | Three ring                                                                          |                  | single ring                                                                         |                |
|                   | Indepentent Timer             | 99 Minutes                                                                          |                | 99 Minutes                                                                          |                  | 99 Minutes                                                                          |                |
|                   | Power Setting                 | 5-Stage                                                                             |                | 9-Stage                                                                             |                  | 9-Stage                                                                             |                |
|                   | Any material pots             | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | Automatic Safety Switch off   | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | High / low Voltage protection | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | Overheat protection           | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | Overflow protection           | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | Child Lock                    | √                                                                                   |                | √                                                                                   |                  | √                                                                                   |                |
|                   | Warm                          | -                                                                                   |                | -                                                                                   |                  | -                                                                                   |                |
|                   | Pause                         | -                                                                                   |                | -                                                                                   |                  | -                                                                                   |                |
|                   | Temperature Setting           | -                                                                                   |                | -                                                                                   |                  | -                                                                                   |                |
| Option            | Glass                         | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                  | CHINESE/SCHOTT/EUROKERA/NEG                                                         |                |
|                   | Glass Size ( mm )             | 288*520                                                                             |                | 590*520                                                                             |                  | 590*520                                                                             |                |
|                   | Cable Line                    | 3*1.5mm²/0.9M                                                                       |                | 4*1.5mm²/0.9M                                                                       |                  | 3*1.5mm²/4*1.5mm²/0.9M                                                              |                |
|                   | Plug                          | -                                                                                   |                | -                                                                                   |                  | -                                                                                   |                |
| Package           | Base size ( mm )              | 260*488*55                                                                          |                | 476*556*53                                                                          |                  | 556*482*55                                                                          |                |
|                   | Installation ( mm )           | 270*495                                                                             |                | 560*480                                                                             |                  | 560*490                                                                             |                |
|                   | Package ( W x H x D,mm )      | 360*105*590                                                                         |                | 560*105*640                                                                         |                  | 560*105*640                                                                         |                |
|                   | Loading(20'/40'/40HQ)         | 600/1222/1380                                                                       |                | 818/1691/1880                                                                       |                  | 818/1691/1880                                                                       |                |